

Apple Inc.

Apple Public Root Certification Practice Statement

Version 1.4

Effective Date: November 15, 2022



Table of Contents

| | |
|----------------------------------------------------------------|-----------|
| 1. INTRODUCTION | 1 |
| 1.1. OVERVIEW | 1 |
| 1.2. DOCUMENT NAME AND IDENTIFICATION | 2 |
| 1.2.1. Revisions | 2 |
| 1.3. PKI PARTICIPANTS..... | 3 |
| 1.3.1. Certification Authorities | 3 |
| 1.3.2. Registration Authorities..... | 4 |
| 1.3.3. Subscribers | 4 |
| 1.3.4. Relying Parties..... | 4 |
| 1.3.5. Other Participants..... | 4 |
| 1.4. CERTIFICATE USAGE..... | 4 |
| 1.4.1. Appropriate Certificate Uses..... | 4 |
| 1.4.2. Prohibited Certificate Uses..... | 5 |
| 1.5. POLICY ADMINISTRATION..... | 5 |
| 1.5.1. Organization Administering the Document..... | 5 |
| 1.5.2. Contact Person | 5 |
| 1.5.3. Person Determining CPS Suitability for the Policy | 5 |
| 1.5.4. CPS Approval Procedures | 5 |
| 1.6. DEFINITIONS AND ACRONYMS | 6 |
| 1.6.1. Definitions | 6 |
| 1.6.2. Acronyms | 7 |
| 1.6.3. References | 7 |
| 1.6.4. Conventions..... | 7 |
| 2. PUBLICATION AND REPOSITORY RESPONSIBILITIES | 8 |
| 2.1. REPOSITORIES | 8 |
| 2.2. PUBLICATION OF CERTIFICATION INFORMATION..... | 8 |
| 2.3. TIME OR FREQUENCY OF PUBLICATION | 9 |
| 2.4. ACCESS CONTROLS ON REPOSITORIES | 9 |
| 3. IDENTIFICATION AND AUTHENTICATION | 10 |
| 3.1. NAMING..... | 10 |
| 3.1.1. Types of Names | 10 |
| 3.1.2. Need for Names to be Meaningful | 10 |
| 3.1.3. Anonymity or Pseudonymity of Subscribers | 10 |



| | |
|-----------------------------------------------------------------------------------------|-----------|
| 3.1.4. Rules of Interpreting Various Name Forms..... | 10 |
| 3.1.5. Uniqueness of Names..... | 10 |
| 3.1.6. Recognition, Authentication, and Role of Trademarks..... | 11 |
| 3.2. INITIAL IDENTITY VALIDATION | 11 |
| 3.2.1. Method to Prove Possession of Private Key..... | 11 |
| 3.2.2. Authentication of Organization Identity, Domain Identity and Email Control | 11 |
| 3.2.3. Authentication of Individual Identity..... | 14 |
| 3.2.4. Non-Verified Subscriber Information..... | 14 |
| 3.2.5. Validation of Authority | 15 |
| 3.2.6. Criteria for Interoperation | 15 |
| 3.3. IDENTIFICATION AND AUTHENTICATION FOR RE-KEY REQUESTS..... | 15 |
| 3.3.1. Identification and Authentication for Routine Re-Key | 15 |
| 3.3.2. Identification and Authentication for Re-Key After Revocation | 15 |
| 3.4. IDENTIFICATION AND AUTHENTICATION FOR REVOCATION REQUESTS | 16 |
| 4. CERTIFICATE LIFE-CYCLE OPERATIONAL REQUIREMENTS | 17 |
| 4.1. CERTIFICATE APPLICATION..... | 17 |
| 4.1.1. Who Can Submit a Certificate Application | 17 |
| 4.1.2. Enrollment Process and Responsibilities | 17 |
| 4.2. CERTIFICATE APPLICATION PROCESSING | 18 |
| 4.2.1. Performing Identification and Authentication Functions | 18 |
| 4.2.2. Approval or Rejection of Certificate Applications | 19 |
| 4.2.3. Time to Process Certificate Applications..... | 19 |
| 4.3. CERTIFICATE ISSUANCE | 19 |
| 4.3.1. CA Actions During Certificate Issuance..... | 19 |
| 4.3.2. Notification To Subscriber by the CA of Issuance of Certificate..... | 20 |
| 4.4. CERTIFICATE ACCEPTANCE | 20 |
| 4.4.1. Conduct Constituting Certificate Acceptance..... | 20 |
| 4.4.2. Publication of the Certificate by the CA | 20 |
| 4.4.3. Notification of Certificate Issuance by the CA to Other Entities | 21 |
| 4.5. KEY PAIR AND CERTIFICATE USAGE | 21 |
| 4.5.1. Subscriber Private Key and Certificate Usage | 21 |
| 4.5.2. Relying Party Public Key and Certificate Usage | 21 |
| 4.6. CERTIFICATE RENEWAL | 21 |
| 4.6.1. Circumstance for Certificate Renewal..... | 21 |



| | |
|-------------------------------------------------------------------------------|-----------|
| 4.6.2. Who May Request Renewal..... | 21 |
| 4.6.3. Processing Certificate Renewal Requests..... | 21 |
| 4.6.4. Notification of New Certificate Issuance to Subscriber | 22 |
| 4.6.5. Conduct Constituting Acceptance of a Renewal Certificate..... | 22 |
| 4.6.6. Publication of the Renewal Certificate by the CA | 22 |
| 4.6.7. Notification of Certificate Issuance by the CA to Other Entities..... | 22 |
| 4.7. CERTIFICATE RE-KEY | 22 |
| 4.7.1. Circumstance for Certificate Re-Key | 22 |
| 4.7.2. Who May Request Certification of a New Public Key | 22 |
| 4.7.3. Processing Certificate Re-Keying Requests..... | 22 |
| 4.7.4. Notification of New Certificate Issuance to Subscriber | 22 |
| 4.7.5. Conduct Constituting Acceptance of a Re-Keyed Certificate | 22 |
| 4.7.6. Publication of the Re-Keyed Certificate by the CA..... | 22 |
| 4.7.7. Notification of Certificate Issuance by the CA to Other Entities..... | 22 |
| 4.8. CERTIFICATE MODIFICATION | 22 |
| 4.8.1. Circumstance for Certificate Modification | 23 |
| 4.8.2. Who May Request Certificate Modification | 23 |
| 4.8.3. Processing Certificate Modification Requests | 23 |
| 4.8.4. Notification of New Certificate Issuance to Subscriber | 23 |
| 4.8.5. Conduct Constituting Acceptance of Modified Certificate | 23 |
| 4.8.6. Publication of the Modified Certificate by the CA..... | 23 |
| 4.8.7. Notification of Certificate Issuance by the CA to Other Entities | 23 |
| 4.9. CERTIFICATE REVOCATION AND SUSPENSION | 23 |
| 4.9.1. Circumstances for Revocation | 23 |
| 4.9.2. Who Can Request Revocation..... | 27 |
| 4.9.3. Procedure for Revocation Request | 27 |
| 4.9.4. Revocation Request Grace Period | 27 |
| 4.9.5. Time Within Which CA Must Process the Revocation Request | 27 |
| 4.9.6. Revocation Checking Requirement for Relying Parties..... | 28 |
| 4.9.7. CRL Issuance Frequency | 28 |
| 4.9.8. Maximum Latency for CRLs | 28 |
| 4.9.9. On-Line Revocation/Status Checking Availability | 28 |
| 4.9.10. On-Line Revocation Checking Requirements..... | 28 |
| 4.9.11. Other Forms of Revocation Advertisements Available..... | 29 |



| | |
|--------------------------------------------------------------------------|-----------|
| 4.9.12. Special Requirements Re Key Compromise | 29 |
| 4.9.13. Circumstances for Suspension | 30 |
| 4.9.14. Who Can Request Suspension | 30 |
| 4.9.15. Procedure for Suspension Request | 30 |
| 4.9.16. Limits on Suspension Period | 30 |
| 4.10. CERTIFICATE STATUS SERVICES | 30 |
| 4.10.1. Operational Characteristics | 30 |
| 4.10.2. Service Availability | 30 |
| 4.10.3. Operational Features | 30 |
| 4.11. END OF SUBSCRIPTION..... | 31 |
| 4.12. KEY ESCROW AND RECOVERY | 31 |
| 4.12.1. Key Escrow and Recovery Policy and Practices | 31 |
| 4.12.2. Session Key Encapsulation and Recovery Policy and Practices..... | 31 |
| 5. MANAGEMENT, OPERATIONAL AND PHYSICAL CONTROLS..... | 32 |
| 5.1. PHYSICAL CONTROLS..... | 32 |
| 5.1.1. Site location and construction | 32 |
| 5.1.2. Physical Access..... | 32 |
| 5.1.3. Power and Air Conditioning | 32 |
| 5.1.4. Water Exposures | 32 |
| 5.1.5. Fire Prevention and Protection | 32 |
| 5.1.6. Media Storage | 33 |
| 5.1.7. Waste Disposal | 33 |
| 5.1.8. Off-Site Backup | 33 |
| 5.2. PROCEDURAL CONTROLS | 33 |
| 5.2.1. Trusted Roles | 33 |
| 5.2.2. Number of Persons Required per Task | 34 |
| 5.2.3. Identification and Authentication for Each Role | 34 |
| 5.2.4. Roles Requiring Separation of Duties | 34 |
| 5.3. Personnel CONTROLS..... | 34 |
| 5.3.1. Qualifications, Experience, and Clearance Requirements | 34 |
| 5.3.2. Background Check Procedures | 35 |
| 5.3.3. Training Requirements and Procedures..... | 35 |
| 5.3.4. Retraining Frequency and Requirements | 35 |
| 5.3.5. Job Rotation Frequency and Sequence | 36 |



| | |
|-----------------------------------------------------------------------|-----------|
| 5.3.6. Sanctions for Unauthorized Actions | 36 |
| 5.3.7. Independent Contractor Requirements | 36 |
| 5.3.8. Documentation Supplied to Personnel | 36 |
| 5.4. AUDIT LOGGING PROCEDURES..... | 36 |
| 5.4.1. Types of Events Recorded | 36 |
| 5.4.2. Frequency of Processing and Archiving Audit Logs..... | 37 |
| 5.4.3. Retention Period for Audit Logs | 37 |
| 5.4.4. Protection of Audit Log | 38 |
| 5.4.5. Audit Log Backup Procedures..... | 38 |
| 5.4.6. Audit Collection System (Internal Vs. External)..... | 38 |
| 5.4.7. Notification To Event-Causing Subject | 38 |
| 5.4.8. Vulnerability Assessments | 38 |
| 5.5. RECORDS ARCHIVAL | 38 |
| 5.5.1. Types of Records Archived | 38 |
| 5.5.2. Retention Period for Archive | 39 |
| 5.5.3. Protection of Archive | 40 |
| 5.5.4. Archive Backup Procedures | 40 |
| 5.5.5. Requirements for Time-Stamping of Records | 40 |
| 5.5.6. Archive Collection System (Internal or External) | 40 |
| 5.5.7. Procedures to Obtain and Verify Archive Information..... | 40 |
| 5.6. KEY CHANGEOVER | 40 |
| 5.7. COMPROMISE AND DISASTER RECOVERY..... | 41 |
| 5.7.1. Incident and Compromise Handling Procedures | 41 |
| 5.7.2. Computing Resources, Software, and/or Data Are Corrupted | 41 |
| 5.7.3. Entity Private Key Compromise Procedures | 41 |
| 5.7.4. Business Continuity Capabilities After a Disaster | 41 |
| 5.8. CA OR RA TERMINATION..... | 42 |
| 6. TECHNICAL SECURITY CONTROLS..... | 43 |
| 6.1. KEY PAIR GENERATION AND INSTALLATION | 43 |
| 6.1.1. Key Pair Generation..... | 43 |
| 6.1.2. Private Key Delivery to Subscriber | 44 |
| 6.1.3. Public Key Delivery to Certificate Issuer | 44 |
| 6.1.4. CA Public Key Delivery to Relying Parties..... | 44 |
| 6.1.5. Key Sizes | 44 |



| | |
|---------------------------------------------------------------------------------------|-----------|
| 6.1.6. Public Key Parameters Generation and Quality Checking..... | 45 |
| 6.1.7. Key Usage Purposes (as per X.509 v3. Key Usage Field) | 45 |
| 6.2. PRIVATE KEY PROTECTION AND CRYPTOGRAPHIC MODULE ENGINEERING CONTROLS..... | 46 |
| 6.2.1. Cryptographic Module Standards and Controls | 46 |
| 6.2.2. Private Key (n out of m) Multi-Person Control..... | 46 |
| 6.2.3. Private Key Escrow | 46 |
| 6.2.4. Private Key Backup | 46 |
| 6.2.5. Private Key Archival..... | 46 |
| 6.2.6. Private Key Transfer Into or From a Cryptographic Module..... | 46 |
| 6.2.7. Private Key Storage on Cryptographic Module | 46 |
| 6.2.8. Method of Activating Private Key | 46 |
| 6.2.9. Method of Deactivating Private Key | 47 |
| 6.2.10. Method of Destroying Private Key | 47 |
| 6.2.11. Cryptographic Module Rating..... | 47 |
| 6.3. OTHER ASPECTS OF KEY PAIR MANAGEMENT..... | 47 |
| 6.3.1. Public Key Archival | 47 |
| 6.3.2. Certificate Operational Periods and Key Pair Usage Periods | 47 |
| 6.4. ACTIVATION DATA | 47 |
| 6.4.1. Activation Data Generation and Installation | 47 |
| 6.4.2. Activation Data Protection | 48 |
| 6.4.3. Other Aspects of Activation Data..... | 48 |
| 6.5. COMPUTER SECURITY CONTROLS | 48 |
| 6.5.1. Specific Computer Security Technical Requirements..... | 48 |
| 6.5.2. Computer Security Rating..... | 48 |
| 6.6. LIFE CYCLE TECHNICAL CONTROLS | 48 |
| 6.6.1. System Development Controls | 48 |
| 6.6.2. Security Management Controls | 49 |
| 6.6.3. Life Cycle Security Controls..... | 49 |
| 6.7. NETWORK SECURITY CONTROLS..... | 49 |
| 6.8. TIME-STAMPING | 49 |
| 7. CERTIFICATE, CRL, AND OCSP PROFILES | 50 |
| 7.1. CERTIFICATE PROFILE | 50 |
| 7.1.1. Version Numbers..... | 50 |



| | |
|-----------------------------------------------------------------------------------|-----------|
| 7.1.2. Certificate Extensions..... | 50 |
| 7.1.3. Algorithm Object Identifiers | 54 |
| 7.1.4. Name Forms | 55 |
| 7.1.5. Name Constraints..... | 57 |
| 7.1.6. Certificate Policy Object Identifier | 57 |
| 7.1.7. Usage of Policy Constraints Extension..... | 58 |
| 7.1.8. Policy Qualifiers Syntax and Semantics | 58 |
| 7.1.9. Processing Semantics for the Critical Certificate Policies Extension | 58 |
| 7.2. CRL PROFILE | 58 |
| 7.2.1. Version Number..... | 58 |
| 7.2.2. CRL and CRL Entry Extensions..... | 59 |
| 7.3. OCSP PROFILE..... | 60 |
| 7.3.1. Version Number | 60 |
| 7.3.2. OCSP Extensions..... | 62 |
| 8. COMPLIANCE AUDIT AND OTHER ASSESSMENTS | 63 |
| 8.1. FREQUENCY OR CIRCUMSTANCES OF ASSESSMENT | 63 |
| 8.2. IDENTITY/QUALIFICATIONS OF ASSESSOR | 63 |
| 8.3. ASSESSOR'S RELATIONSHIP TO ASSESSED ENTITY | 63 |
| 8.4. TOPICS COVERED BY ASSESSMENT | 63 |
| 8.5. ACTIONS TAKEN AS A RESULT OF DEFICIENCY..... | 63 |
| 8.6. COMMUNICATION OF RESULTS | 64 |
| 8.7. SELF-AUDITS | 64 |
| 9. OTHER BUSINESS AND LEGAL MATTERS | 65 |
| 9.1. FEES | 65 |
| 9.1.1. Certificate Issuance or Renewal Fees | 65 |
| 9.1.2. Certificate Access Fees | 65 |
| 9.1.3. Revocation or Status Information Access Fees | 65 |
| 9.1.4. Fees for Other Services..... | 65 |
| 9.1.5. Refund Policy | 65 |
| 9.2. FINANCIAL RESPONSIBILITY | 65 |
| 9.2.1. Insurance Coverage..... | 65 |
| 9.2.2. Other Assets | 65 |
| 9.2.3. Insurance or Warranty Coverage for End-Entities | 65 |
| 9.3. CONFIDENTIALITY OF BUSINESS INFORMATION | 66 |



| | |
|----------------------------------------------------------------------------|-----------|
| 9.3.1. Scope of Confidential Information | 66 |
| 9.3.2. Information Not Within the Scope of Confidential Information | 66 |
| 9.3.3. Responsibility To Protect Confidential Information | 66 |
| 9.4. PRIVACY OF PERSONAL INFORMATION | 66 |
| 9.4.1. Privacy Plan | 66 |
| 9.4.2. Information Treated as Private | 66 |
| 9.4.3. Information Not Deemed Private | 67 |
| 9.4.4. Responsibility To Protect Private Information | 67 |
| 9.4.5. Notice and Consent To Use Private Information | 67 |
| 9.4.6. Disclosure Pursuant to Judicial or Administrative Process | 67 |
| 9.4.7. Other Information Disclosure Circumstances | 67 |
| 9.5. INTELLECTUAL PROPERTY RIGHTS | 67 |
| 9.6. REPRESENTATIONS AND WARRANTIES | 67 |
| 9.6.1. CA Representations and Warranties | 67 |
| 9.6.2. RA Representations and Warranties | 68 |
| 9.6.3. Subscriber Representations and Warranties | 68 |
| 9.6.4. Relying Party Representations and Warranties | 69 |
| 9.6.5. Representations and Warranties of Other Participants | 70 |
| 9.7. DISCLAIMERS OF WARRANTIES | 70 |
| 9.8. LIMITATIONS OF LIABILITY | 70 |
| 9.9. INDEMNITIES | 71 |
| 9.9.1. Indemnification by Apple | 71 |
| 9.9.2. Indemnification by Subscribers | 71 |
| 9.9.3. Indemnification By Relying Parties | 72 |
| 9.10. TERM AND TERMINATION | 72 |
| 9.10.1. Term | 72 |
| 9.10.2. Termination | 72 |
| 9.10.3. Effect of Termination and Survival | 72 |
| 9.11. INDIVIDUAL NOTICES AND COMMUNICATIONS WITH PARTICIPANTS | 73 |
| 9.12. AMENDMENTS | 73 |
| 9.12.1. Procedure for Amendment | 73 |
| 9.12.2. Notification Mechanism and Period | 73 |
| 9.12.3. Circumstances Under Which OID Must Be Changed | 73 |
| 9.13. DISPUTE RESOLUTION PROVISIONS | 73 |



| | |
|-------------------------------------------------------------------|-----------|
| 9.14. GOVERNING LAW | 73 |
| 9.15. COMPLIANCE WITH APPLICABLE LAW | 74 |
| 9.16. MISCELLANEOUS PROVISIONS..... | 74 |
| 9.16.1. Entire Agreement | 74 |
| 9.16.2. Assignment..... | 74 |
| 9.16.3. Severability..... | 74 |
| 9.16.4. Enforcement (Attorneys' Fees and Waiver of Rights) | 74 |
| 9.16.1. Force Majeure | 74 |
| 9.17. OTHER PROVISIONS..... | 74 |
| Appendix A: Apple Root and Subordinate CAs Hierarchy | 75 |
| Appendix B: Verification Sources..... | 76 |
| Sources List | 76 |
| Revision History | 76 |
| Appendix C - Revocation Reason Code Selection..... | 77 |



1. INTRODUCTION

1.1. OVERVIEW

This Certification Practice Statement (CPS) describes the practices employed by Apple Inc. ("Apple") acting as a Root CA and Subordinate CA that issues Publicly-Trusted Certificates ("Apple Public CA").

Root Certificates issued by the Apple Public CA are intended to be widely trusted by Application Software Suppliers. As such, the Apple Public CA inherits the benefits and responsibilities associated with those Application Software Suppliers' programs, which are listed in Section 1.1. of the Apple Public Root Certificate Policy ("Apple Public Root CP").

The Apple Public CA issues Root Certificates and Subordinate CA Certificates ("Sub-CA Certificate") for Apple Inc. and its subsidiaries exclusively. Appendix A lists all valid Root Certificates and associated Sub-CA Certificates.

The Apple Public CA also issues Subscriber Certificates and manages related services to:

- Secure connections based on the TLS protocol, and
- Digitally sign and encrypt email using the S/MIME standard.

This CPS provides the practices for issuance of all Certificates, including Root Certificates, Sub-CA Certificates and Subscriber Certificates, including Organization Validated (OV) TLS, as well as Mailbox-Validated and Sponsor-Validated S/MIME Certificates. This CPS further defines the practices relating to Certificate lifecycle services, such as issuance, management, and revocation, as well as details relating to other business, legal, and technical matters.

Any practice that is designed for a specific Certificate type is explicitly identified. Those practices are designed to conform to the requirements in the current version of the Apple Public Root CP. The Apple Public CA includes policy identifiers in Certificates as discussed in Section 7.1.6, to assert that Apple makes commercially reasonable efforts to conform to the CAB Forum Baseline Requirements for the Issuance and Management of Publicly Trusted Certificates published at <http://www.cabforum.org>. In the event of any inconsistency between this CPS and the Apple Public Root CP, the Apple Public Root CP takes precedence. The CAB Forum Baseline Requirement takes precedence over the Apple Public Root CP.

This CPS is structured according to RFC 3647, and includes at least every section and subsection defined in RFC 3647. There are sections that include the words "No Stipulation", which mean that no specific practices exist for that section. This CPS contains no sections that are blank.



1.2. DOCUMENT NAME AND IDENTIFICATION

This is the Apple Public Root CPS. The name reflects the publicly-trusted nature of the Certification Authority regulated by it. This CPS has been assigned this Object Identifier within the applePublicPolicyID:

aprCPSroot ::= {applePublicPolicyID (1) aprCPS (2) 1} – (1.2.840.113635.100.5.19.1.2.1)

This and other Apple-owned arcs are used in the certificate policies extension as described in Section 7.1.6.

1.2.1. Revisions

This CPS is reviewed and updated at least annually, as required by the Baseline Requirements.

The following revisions have been made to the original document:

| Date | Changes | Version |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 11/15/2022 | <p>Updated multiple sections to clarify and refine some practices based on Application Software Suppliers' requirements:</p> <p>Section 1.4.2 - added prohibited used related to surreptitious interception and clarified existing sentence.</p> <p>Section 1.5.2.1 - included location for Certificate Problem Reporting instructions.</p> <p>Section 2.3 - added practice of publishing CP to the CCADB within seven calendar days of approval and changed business day for calendar days.</p> <p>Section 3.2.5 - established the connection between Reliable Communication Methods and authority validation. Made editorial change to separate subsection.</p> <p>Section 4.3.1 - expanded on actions executed during certificate creation and clarified the publishing of Precertificates to Certificate Transparency logs.</p> <p>Section 4.9 - added the notion of Precertificate revocation and revocation status.</p> <p>Section 4.9.1.2 (5) - added "the Apple Public Root CP" for completeness.</p> <p>Section 4.9.3 - clarified practice around Certificate Problem Reporting for external parties.</p> <p>Section 5.3.7 - clarified training practices for contractors.</p> <p>Section 5.4.1 - explained that automated and manual event collection processes are used.</p> | 1.4 |



| Date | Changes | Version |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 10/01/2022 | <p>Updated Sections 2.1, 4.3.1, 4.9.3, 4.9.9, 4.9.12, 6.1.1.3, 7.2, 7.3.1, 8.2, 8.6, 9.6.3, and added Appendix D for compliance with Mozilla Root Store Policy version 2.8.</p> <p>Updated Section 4.9.9 for compliance with Apple Root Certificate Program.</p> <p>Updated Appendix B - Verification Sources to include new verification website.</p> <p>Made minor editorial changes to Section 7.1.2, 7.1.4.3, 7.2.1, and 9.6.3.</p> | 1.3 |
| 09/01/2022 | <p>Updated Sections 3.2.2.4, 3.2.2.8, 4.1.1, 5.4.1, 5.4.2, 5.4.3, 5.4.6, 5.5.1, and 5.5.2 to comply with Apple Public Root CP version 1.1 (for compliance with CABF Baseline Requirement up to version 1.8.4)</p> <p>Updated Sections 5.2.1.4, 5.2.2 and 5.3.7 to expand certain Trusted Roles to contractors.</p> <p>Updated section 4.9.7 to simplify CRL issuance frequency language, Section 5.1.4 to better reflect water protection practices in diverse facilities.</p> <p>Updated Sections 3.2.2.6, 3.2.2.10 to use defined terms and amend Wildcard Certificates practice.</p> <p>Updated Sections 5.1.1, 5.1.8, 5.4.4., 5.4.5, 5.5.3 and 5.5.4 to better reflect log recording and archival practices.</p> <p>Updated Section 5.4.8 to reflect vulnerability assessment practices.</p> <p>Updated Section 9.14 to change governing law.</p> | 1.2 |
| 01/14/2022 | Updated Appendix A with the Root Certificate and Sub-CA Certificate serial numbers. | 1.1 |
| 12/09/2021 | Initial release. | 1.0 |

1.3. PKI PARTICIPANTS

1.3.1. Certification Authorities

A Certification Authority (CA) is an organization that is authorized to issue, manage, and revoke Certificates. The Apple Public CA acts as the Root CA and Subordinate CA for Apple.



1.3.2. Registration Authorities

A Registration Authority (RA) performs identification and authentication checks for end-user Certificate applicants. The Apple Public CA acts as a Registration Authority. This function is not delegated to a third party.

1.3.3. Subscribers

A natural person or Legal Entity that has been issued a Certificate signed by an Apple Public CA Certificate and is legally bound by a Subscriber Agreement or Terms of Use.

1.3.4. Relying Parties

Any natural person or Legal Entity that relies on a Valid Certificate issued by the Apple Public CA.

1.3.5. Other Participants

1.3.5.1. CA/Browser Forum

See the Apple Public Root CP Section 1.3.5.1 for details

1.3.5.2. Application Software Supplier

See the Apple Public Root CP Section 1.3.5.2 for details

1.3.5.3. Apple CA Policy Authority

The Apple Policy Authority (APA) is a multi-disciplinary group from within Apple Inc., and its subsidiaries responsible for interpretation of requirements, maintenance, and approval of this CPS.

1.4. CERTIFICATE USAGE

1.4.1. Appropriate Certificate Uses

1.4.1.1. TLS Server and Client Certificates

The Apple Public CA issues and administers X.509 Certificates with a Server Authentication and/or Client Authentication purpose, in the Extended Key Usage extension, used to provide server authentication, data encryption, message integrity, and, optionally, client authentication.

1.4.1.2. S/MIME Certificates

The Apple Public CA issues and administers X.509 Certificates with an Email Protection purpose, in the Extended Key Usage extension, used to provide secure email. This type of Certificate may be used to digitally sign an email message from a verified email address. S/MIME Certificates are intended only to indicate that the email is from an authorized email account, but do not provide any assurance of the identity of the sending party. Further, emails associated with an S/MIME Certificate are not intended to replace a written or electronic signature.



1.4.2. Prohibited Certificate Uses

The Apple Public CA does not allow its Subscribers' Certificates to sign other Certificates, nor does it allow its Sub-CA Private Keys to sign other Sub-CA Certificates.

Subscriber Certificates may not be used for the purpose of intercepting encrypted network traffic (e.g. "man-in-the-middle attacks").

Certificates issued by the Apple Public CA shall not be used for any purpose that is not identified in Section 1.4.1 as a permitted use.

1.5. POLICY ADMINISTRATION

1.5.1. Organization Administering the Document

This CPS is administered by the APA.

1.5.2. Contact Person

The contact information for this CPS is:

Apple CA Policy Authority
One Apple Park Way
Cupertino, CA 95014

(408) 996-1010
policy_authority@apple.com

1.5.2.1. Certificate Problem Reporting

To submit a Certificate Problem Report, there are two mechanisms:

- Relying Parties, Application Software Suppliers, and other third parties contact us at contact_pki@apple.com. Instructions on how to submit a Certificate Problem Report are provided on <https://www.apple.com/certificateauthority/public>.
- Staff of Apple Inc. and its subsidiaries, use mechanisms available through the Certificate Enrollment system.

1.5.3. Person Determining CPS Suitability for the Policy

The APA determines the suitability and applicability of this CPS. The APA considers, among other factors, the results and observations received from independent auditors as specified in Section 8, internal auditors, and Application Software Suppliers.

1.5.4. CPS Approval Procedures

This CPS and all its amendments are subject to approval by the APA. The CPS may change at any time without prior notice. Amendments to this CPS will be evidenced



by a new version number and date and recorded in the revision table in [Section 1.2.1](#), except where the amendments are purely clerical.

1.6. **DEFINITIONS AND ACRONYMS**

1.6.1. **Definitions**

This CPS adopts the Apple Public Root CP Appendix C definitions. References not included in the Apple Public Root CP are listed below.

| Term | Definition |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| A-Label | From RFC 5890 (http://tools.ietf.org/html/rfc5890): A Domain Label that starts with the characters "xn--" followed by a string that is a valid output of the Punycode algorithm and hence a maximum of 59 ASCII characters in length. |
| Certificate Application | The document, physical or electronic, submitted by an Applicant to Apple Public CA for the purpose of obtaining a Certificate. |
| Certificate Requester | A natural person who is either the Applicant, employed by the Applicant, an authorized agent who has express authority to represent the Applicant, or a third party (such as an ISP or hosting company) that completes and submits an Certificate Application on behalf of the Applicant. |
| Certificate Transparency | A protocol for publicly logging the existence of TLS Certificates as they are issued or observed, in a manner that allows anyone to audit Certificate Authority activity and notice the issuance of suspect Certificates as well as to audit the Certificate logs themselves. |
| Distinguished Name | Within the scope of a CA related to the issuance and management of Certificates, this is a value that uniquely identifies each entity or resource to which a Certificate is issued. |
| Identification Credential | A cryptographic-based identity that uniquely identifies a staff member of Apple Inc., or one of its subsidiaries. The Identification Credential is associated with information such as the staff member's name and email address. |
| Internationalized Domain Name | From RFC 5890 (http://tools.ietf.org/html/rfc5890): A Domain Name that contains at least one A-label or U-label, but that otherwise may contain any mixture of LDH Label, Non-Reserved LDH labels, A-labels, or U-labels. |



| Term | Definition |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Mailbox-Validated S/MIME | An S/MIME Certificate that only includes verified email addresses as Subjects. |
| Sponsor-Validated S/MIME | An S/MIME Certificate that includes verified email addresses and their controlling Legal Entity as Subjects. This Certificate may also include the verified information of the natural person who is the email account holder. |
| U-Label | From RFC 5890 (http://tools.ietf.org/html/rfc5890): A string of Unicode characters including at least one non-ASCII character, expressed in a standard Unicode Encoding Form (such as UTF-8). |

1.6.2. Acronyms

This CPS adopts the Apple Public Root CP Appendix C acronyms. Acronyms not included in the Apple Public Root CP are listed below.

| Acronym | Term |
|---------|-------------------------------|
| DN | Distinguished Name |
| IDN | Internationalized Domain Name |

1.6.3. References

This CPS adopts the Apple Public Root CP Section 1.6.3 references. References not included in the Apple Public Root CP will be listed below.

1.6.4. Conventions

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in the policies, guidelines, and requirements mentioned in Section 1.1 have been interpreted in accordance with RFC 2119.

By convention, this CPS omits time and timezones when listing effective requirements such as dates. Except when explicitly specified, the associated time with a date is 00:00:00 UTC.



2. PUBLICATION AND REPOSITORY RESPONSIBILITIES

2.1. REPOSITORIES

The Apple Public CA repository is composed of multiple private and public areas as described below:

- Subscriber Certificates are placed in an area not publicly accessible. TLS Certificates intended to operate with Apple and Google clients are published to publicly accessible Certificate Transparency logs.
- Status information for Subscriber Certificates is available from publicly accessible locations linked from the Subscriber Certificate.
- Root Certificates and Sub-CA Certificates are available on publicly accessible websites.
- The current version, and previous versions, of the Apple Public Root CP, and this CPS, are made available on publicly accessible websites.
- Standard agreements and other policies (e.g. Privacy Policy) are made available on publicly accessible websites.
- Results of the annual audit are made available on publicly accessible websites.

The Apple Public CA has a process in place to develop, implement, and enforce, any new requirements set forth by the CAB Forum in the Baseline Requirements and by Application Software Suppliers. This process is triggered at least every quarter and relies on monitoring the CAB Forum and Application Software Supplier websites for document changes and newly approved ballots.

Modifications to this CPS will be logged in the Revisions table in Section 1.2.1 by increasing the CPS version and referencing the source of the requirement. If a full year passes without any changes to this document, a new dated entry and increased version number will be logged to note compliance with the requirement of a yearly review.

2.2. PUBLICATION OF CERTIFICATION INFORMATION

The latest versions of the Apple Public Root CP, this CPS and agreements are published at <https://www.apple.com/certificateauthority/public> and are readily accessible on a 24x7 basis. The Apple privacy policy is available at <https://www.apple.com/legal/privacy>

Links to test web pages used to demonstrate valid, revoked, and expired Certificates are available from pages linked from <https://www.apple.com/certificateauthority/public>.

Certificate status information may be made available through the Online Certificate Status Protocol (OCSP). Certificate status information may also be checked via the Certificate Revocation List (CRL), which is published by the Apple Public CA on a periodic basis. Refer to the CRL Distribution Point or the Authority Information Access



extensions in the Certificates for the status information method used as described in Section 7.1.2.

2.3. TIME OR FREQUENCY OF PUBLICATION

Updates to this CPS and updated agreements are published to the Repository as necessary, but within seven (7) calendar days after approval. Updated versions of this CPS are uploaded to the CCADB within seven (7) calendar days after approval.

Certificate status information for Subscriber Certificates is published as specified in Section 4.9.7 for CRLs and Section 4.9.10 for OCSP.

Root Certificates and Sub-CA Certificates are published as soon as possible after issuance.

2.4. ACCESS CONTROLS ON REPOSITORIES

Read-only access to information in public repositories is provided without restriction. Read-only access to Certificates in private repositories is available through an internal process.

The Apple Public CA has implemented logical and physical security measures to prevent unauthorized persons from adding, deleting, or modifying repository entries.



3. IDENTIFICATION AND AUTHENTICATION

3.1. NAMING

3.1.1. Types of Names

All Certificates contain a Subject Distinguished Name ("Subject DN") populated with the names defined in [Section 7.1.4.2](#) and [Section 7.1.4.3](#). TLS Certificates and S/MIME Certificates contain the Subject Alternative Name extension populated with names defined in [Section 7.1.4.2.1](#).

3.1.2. Need for Names To Be Meaningful

All Certificates include a non-null Issuer Distinguished Name ("Issuer DN") containing information about Apple Inc., the issuer of the Certificate.

TLS Certificates include a non-null Subject DN containing the verified information of an entity (i.e. Subscriber), which is either Apple Inc. or one of its subsidiaries. The Fully Qualified Domain Names (FQDN) and/or Wildcard Domain Names included in the Subject Alternative Name extension and Common Name field identify the device(s) controlled by the Subscriber.

S/MIME Certificates include a non-null Subject DN containing either the verified information of an entity that sponsored the Certificate issuance and the verified email; or, the verified email address only. The Common Name field and the rfc822Name include the email address controlled by the individual requesting the S/MIME Certificate.

3.1.3. Anonymity Or Pseudonymity Of Subscribers

Generally, the Apple Public CA does not issue Certificates with pseudonyms; however, for IDNs, the Apple Public CA may include the Punycode version of the IDN as a subject name.

3.1.4. Rules of Interpreting Various Name Forms

Distinguished names in Certificates are interpreted using X.500 standards and ASN.1 syntax.

3.1.5. Uniqueness of Names

The uniqueness of each subject name in a Certificate is enforced as follows:

| Certificate Type | Uniqueness Determination |
|--------------------|-----------------------------------------------------------------------------|
| Root Certificate | Root CA organization's name combined with its headquarters' country. |
| Sub-CA Certificate | Subordinate CA organization's name combined with its headquarters' country. |



| Certificate Type | Uniqueness Determination |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TLS Certificate | Domain Validated: Domain Name, whose uniqueness is controlled by the Internet Corporation for Assigned Names and Numbers ("ICANN") Organization Validated: The combination of Subscriber's organization name and headquarters' location, which may include locality, state/province and country. |
| S/MIME Certificate | Mailbox-Validated: A verified unique email address. Sponsor-Validate: The combination of a unique email and sponsor organization's name. If present, the name of the email account holder. |

3.1.6. Recognition, Authentication, and Role of Trademarks

Apple, iOS, and macOS are trademarks of Apple Inc., in the United States and other countries.

Applicants are prohibited from requesting Certificates that contain content which infringes on the intellectual property and commercial rights of others. The Apple Public CA does not determine whether Applicants have intellectual property rights in the name used in a Certificate Application nor does the Apple Public CA resolve any dispute concerning the ownership of a domain name or trademark. The Apple Public CA may reject any Certificate Application and revoke any Certificate because of such a dispute.

3.2. INITIAL IDENTITY VALIDATION

3.2.1. Method To Prove Possession of Private Key

The Certificate Applicant must demonstrate that it rightfully holds the Private Key corresponding to the Public Key listed in the Certificate by submitting a PKCS#10 Certificate Signing Request (CSR).

3.2.2. Authentication of Organization Identity, Domain Identity and Email Control

Information to be included in a Certificate's Subject DN is validated as explained in the following sections.

3.2.2.1. Identity

For Certificates whose Applicant is a Legal Entity, the Apple Public CA confirms that the Applicant, the Applicant's jurisdiction of incorporation, registration, or place of business is not on any United States Government denied list, list of prohibited persons, or other list that prohibits doing business with such organization.



The Apple Public CA verifies the Legal Entity's identity (i.e., name, existence) and address using documentation provided by, or through communication with, at least one of the following as described in Baseline Requirements Section 3.2.2.1:

1. A government agency in the jurisdiction of the Legal Entity's legal creation, existence, or recognition as listed in Appendix B, or
1. A third party database that is periodically updated and considered a Reliable Data Source,
2. A site visit by a representative of the Apple Public CA, or
3. An Attestation Letter provided by the Applicant.

3.2.2.2. DBA/Tradename

When the Subject Identity Information includes a DBA or trademark, the Apple Public CA uses a method below to perform the verification.

1. Documentation provided by, or communication with, a government agency in the jurisdiction of the Applicant's legal creation, existence, or recognition,
2. A Reliable Data Source,
3. Communication with a government agency responsible for the management of such DBAs or tradenames,
4. An Attestation Letter accompanied by documentary support, or
5. A utility bill, bank statement, credit card statement, government-issued tax document, or other form of identification that the Apple Public CA determines to be reliable.

3.2.2.3. Verification of Country

When `countryName` is included in a Certificate, the Apple Public CA verifies it using Section 3.2.2.1.

3.2.2.4. Validation of Domain Authorization or Control

Prior to issuance of a TLS Certificate, the Apple Public CA validates each FQDN to be included in such Certificates. As part of the validation process, the Apple Public CA records the validation method, and the associated Baseline Requirements' version.

Validation of FQDNs is performed using these methods described in the Baseline Requirements sections:

- (3.2.2.4.2) – **Email, Fax, SMS, or Postal Mail to Domain Contact**, by sending a Random Value via email to the Domain Contact, and receiving a confirming response utilizing the Random Value within 20 days of its generation.



- (3.2.2.4.7) – DNS Change, by confirming the presence of Random Value in either a DNS TXT or CAA record for either 1) an Authorization Domain Name; or 2) an Authorization Domain Name that is prefixed with a label that begins with an underscore character. Confirmation is completed within 20 days of generation of the Random Value.

FQDNs are also reviewed to prevent use of Internal Names.

The Apple Public CA does not issue Certificates with the Onion Domain Names nor with mixed character sets.

3.2.2.5. Authentication for an IP Address

The Apple Public CA does not issue TLS Certificates containing IP Addresses.

3.2.2.6. Wildcard Domain Validation

Every Wildcard Domain Name in a Certificate Application is verified before issuing a Wildcard Certificate. The Wildcard Domain Name's Base Domain Name part is compared with Domain Names in the "ICANN DOMAINS" section of the Public Suffix List. When none of those FQDNs is present in the list, the Certificate may be issued. When the FQDN is present in the list, additional information is requested from the Applicant to verify ownership before the Certificate can be issued.

3.2.2.7. Data Source Accuracy

Prior to using any data source as a Reliable Data Source, the Apple Public CA considers the following during its evaluation:

- The age of the information provided,
- The frequency of updates to the information source,
- The data provider and purpose of the data collection,
- The public accessibility of the data availability, and
- The relative difficulty in falsifying or altering the data.

The Apple Public CA does not use its own databases as a Reliable Data Sources.

3.2.2.8. CAA Records

Prior to issuing a TLS Certificate, the Apple Public CA retrieves and processes the CAA records to verify the presence of "pki.apple.com" in either the 'issue' or 'issuewild' properties for each FQDN provided in the Certificate Application. The 'iodef' property is checked but no action will be taken. The following criteria will be used to establish whether to issue the Certificate:

- If the CAA record is not present in DNS, the Certificate may be issued.



- If the 'issue' and 'issuewild' properties list the name "pki.apple.com" as an authorized CA, the Certificate will be issued.
- If the 'issue' or 'issuewild' properties list a name other than "pki.apple.com" as an authorized CA, the Certificate will not be issued.
- In any other cases, the Certificate will not be issued.

The CAA check is performed immediately before the issuance of the Certificate, but does not exclude the possibility of other CAA checks. See [Section 4.2.1](#).

The Apple Public CA logs actions taken based on CAA records, and documents issuance prevented by CAA for feedback to the CA/Browser Forum.

3.2.2.9. E-mail Verification

Prior to issuing an S/MIME Certificate, the Apple Public CA verifies the Applicant controls the email address by confirming either:

- The Domain Name contained in the domain portion of the email address is owned or controlled by the Legal Entity in the Organization field in accordance with [Section 3.2.2.4](#) of this CPS and Section 3.2.2.9.1 of the Apple Public CP, or,
- Receipt of a response utilizing the same Random Value previously sent by the Apple Public CA via email to the email address being verified in accordance with Section 3.2.2.9.1 of the Apple Public CP.

3.2.2.10. High Risk Certificate Requests

Prior to issuing a Certificate, every Base Domain Name in the request is compared to an externally compiled database of the top 1,000 most popular Domain Names. If any Base Domain Name is present in the list, and it is not owned/controlled by the Applicant, the request is rejected.

In addition, Apple Public CA's risk-mitigation criteria identify requests containing Wildcard Domain Names as high risk, so they are subject to a manual approval process.

3.2.3. Authentication of Individual Identity

The Apple Public CA does not issue TLS Certificates to an Applicant who is a natural person.

The Apple Public CA does not issue S/MIME Certificates that include the name of a natural person.

3.2.4. Non-Verified Subscriber Information

The Apple Public CA does not include non-verified Subscriber information in Certificates.



3.2.5. Validation of Authority

Authority is validated based on Certificate type. When the Applicant is a Legal Entity, the Applicant Representative's authority to request Certificates on behalf of an organization is confirmed using information gathered during the Applicant's identity verification which relies on a Reliable Method of Communication as described in [Section 3.2.21](#).

Root Certificate, Sub-CA Certificate and TLS Certificates

The Apple Public CA takes reasonable steps to establish that a Certificate Application is from Apple staff. Certificate Requesters authenticate to enrollment systems with the Identification Credential that verifies they are an employee of the Subscriber, i.e., Apple Inc., before a Certificate Application can be submitted.

For Root Certificate and Sub-CA Certificates, the Certificate Requestor is confirmed to be a Trusted Role and to have express authorization to submit a Certificate Application for these types of Certificates.

For TLS Certificates, a list of pre-approved Certificate Requesters, is included in the enrollment system limiting who can submit Certificate Applications.

S/MIME Certificates

For Mailbox-Validated S/MIME Certificates, authority is implicit based on demonstration of control according to [Section 3.2.2.10](#).

For Sponsor-Validated S/MIME Certificates, authority of the request is verified through the demonstrated control by the Legal Entity over the email address using a technical or administrative control.

3.2.6. Criteria for Interoperation

No stipulation.

3.3. *IDENTIFICATION AND AUTHENTICATION FOR RE-KEY REQUESTS*

3.3.1. Identification and Authentication for Routine Re-Key

Not applicable, since the Apple Public CA does not provide Certificate re-key as defined in [Section 4.7](#).

3.3.2. Identification and Authentication for Re-Key After Revocation

Subscribers may request a new Certificate after a revocation. Those Certificate Applications follow the same process as the initial Certificate issuance.



3.4. IDENTIFICATION AND AUTHENTICATION FOR REVOCATION REQUESTS

The Subscriber, or for TLS Certificates, the Subscriber's representatives specified in Section 4.9.2, can request revocation. Those individuals are listed in the enrollment system; before they can request revocation, they must present their Identification Credential to access the enrollment system.

When a revocation is requested as result of a Certificate Problem Report, an RA Officer will request and/or execute revocation as discussed in Section 4.9.3. The RA Officer will identify to the enrollment system using appropriate credentials as discussed in Section 5.2.3.



4. CERTIFICATE LIFE-CYCLE OPERATIONAL REQUIREMENTS

4.1. CERTIFICATE APPLICATION

4.1.1. Who Can Submit a Certificate Application

Root Certificate and Sub-CA Certificate

Only individuals in Trusted Roles working for the Apple Public CA may submit Certificate Applications for Root Certificates and Sub-CA Certificates.

TLS Certificates and S/MIME Certificates

Only individuals who are the Applicant or an authorized Certificate Requester representing the Applicant may submit Certificate Applications.

The Apple Public CA will not issue TLS Certificates to an Applicant if either the Applicant, the Applicant's Jurisdiction of Incorporation, Registration, or Place of Business is on any United States Government denied list, or other list that prohibits doing business with such organization.

4.1.2. Enrollment Process and Responsibilities

The Apple Public CA has an enrollment process that combines online and offline functions to obtain:

- An executed Subscriber Agreement or Terms of Use,
- Information about the Applicant including, but not limited to, organization name, contacts, and authorizing individuals,
- Information about the Certificate including, but not limited to, a CSR, email address, and FQDNs,
- Appropriate approvals by authorized Applicant's representatives or the Applicants themselves.

Prior to issuing a Certificate, the Apple Public CA may collect evidence from sources other than the Applicant to confirm information to be included in the Certificate.

The Apple Public CA may leverage the verification information for an Applicant such as Legal existence, Address of Place of Business, Verified Method of Communication, Operational Existence, Domain Name, approver's name, title and authority for multiple Certificate Applications. The use of this information is limited to the maximum age specified in Section 4.2.1.



4.2. *CERTIFICATE APPLICATION PROCESSING*

4.2.1. **Performing Identification and Authentication Functions**

The Apple Public CA verifies Certificate Application information using the practices in the sections noted next to each validation category.

During the validation process, to clarify any discrepancies, Validation Specialists are required to obtain additional information by contacting the Applicant, Applicant Representatives or other sources of information. When documentation is not available in English, the Apple Public CA will engage a translator.

Root Certificates and Sub-CA Certificates

- Applicant Identity: Sections [3.2.2.1](#), [3.2.2.2](#) and [3.2.2.3](#), and
- Identification and Authentication for each Trusted Role: [Section 5.2.3](#).

TLS Certificates

- Applicant Identity: Sections [3.2.2.1](#), [3.2.2.2](#) and [3.2.2.3](#),
- Domain Ownership/Control: [Section 3.2.2.4](#),
- Validation of Authority: [Section 3.2.5](#),
- CAA: [Section 3.2.2.8](#),
- High Risk Certificate Request: [Section 3.2.2.10](#), and
- Wildcard Domain Validation: [Section 3.2.2.6](#).

S/MIME Certificates

- Email Verification: [Section 3.2.2.9](#),
- Organization: Sections [3.2.2.1](#) and [3.2.2.3](#), and
- Validation of Authority: [Section 3.2.5](#),
- Domain Ownership/Control: [Section 3.2.2.4](#).

Age of Validated Data

The Apple Public CA leverages information produced by a Certificate Application for approval of multiple Certificates. In order to use such information for a subsequent application, the date when the validation was performed is recorded, and the age of information is calculated to not exceed the limits below:

- Legal or operational existence and identity: 824 days
- Assumed name: 824 days



- Verified Method of Communication: 824 days
- Name, Title, Agency, and Authority: 824 days
- Domain Name for TLS and S/MIME Certificates: 397 days

4.2.2. Approval or Rejection of Certificate Applications

The Apple Public CA rejects Certificate Applications that cannot be verified based on the practices outlined in [Section 4.2.1](#) for a specific Certificate type. Request rejection reasons may include, but are not limited to, requests that:

- are not for an Applicant's owned Domain Name,
- include Domain Names in the list of high risk Domain Names for which the Applicant is not the owner or has no control,
- include Internal Names or Reserved IP Addresses,
- include an email address associated that cannot be verified,
- are submitted by an Applicant representative without proper authority,
- remain incomplete or inconsistent after a reasonable amount of time after clarifications have been requested.

4.2.3. Time to Process Certificate Applications

Certificate Applications are processed within a reasonable time of receipt. There is no time stipulation to complete the processing of an application unless otherwise indicated in a relevant agreement.

4.3. *CERTIFICATE ISSUANCE*

4.3.1. CA Actions During Certificate Issuance

A Certificate is created and issued following approval of the Certificate Application.

Root Certificates and Sub-CA Certificates

The Apple Public CA generates CA Certificates during a scripted ceremony, conducted by trusted personnel observing separation of duties and two-person controls consistent with [Section 5.2](#). Ceremonies for Root Certificates or Sub-CA Certificates, for Applicants other than Apple, are witnessed by external qualified auditors.



TLS Certificates and S/MIME Certificates

The Apple Public CA's enrollment system will use the information provided as part of the verification practices in [Section 3.2](#), data in the online submission, and configuration constraints. Among other things, the system will:

- use the Public Key in the CSR,
- populate verified data in the Subject DN; and prevent populating fields only with metadata such as ".", "-", and " " (i.e., space) characters,
- populate verified FQDNs and Wildcard Domain Names in the Subject Alternative Name extension that meet the Domain Label specifications in [Section 7.1.4.3](#),
- perform automatic pre-issuance checks using both an internally-developed validator and a widely-distributed linting solution that verify, among other things, field limitations are respected, appropriate extensions are included, and field encodings are appropriate,
- confirm that the Certificate has no missing or incorrect extensions and the Public Keys meet the parameters required in [Section 6.1.6](#).

The Apple Public CA posts TLS Precertificates to Certificate Transparency logs to ensure the Certificate can operate with Apple and Google clients.

The Apple Public CA issues Certificates with a notBefore value that is no earlier than 24 hours of the actual signature date.

4.3.2. Notification To Subscriber by the CA of Issuance of Certificate

Upon issuance of a Certificate, the Apple Public CA will notify the Subscriber by sending an email to the email address associated with the Certificate Application.

4.4. *CERTIFICATE ACCEPTANCE*

4.4.1. Conduct Constituting Certificate Acceptance

A Subscriber's use of the Certificate constitutes Certificate acceptance.

4.4.2. Publication of the Certificate by the CA

After issuance, Certificates are published to a private Repository, as specified in [Section 2.1](#). The Apple Public CA also records issuance of TLS Certificates to Certificate Transparency logs.

The Apple Public CA publishes all Root Certificates and Sub-CA Certificate to the Repository.



4.4.3. Notification of Certificate Issuance by the CA to Other Entities

The Apple Public CA discloses in the CCADB all Sub-CA Certificates that chain up to Root Certificates trusted in Application Software Supplier programs.

For Sub-CA Certificates issued by a Root Certificate already trusted, disclosure occurs within 7 days of Sub-CA Certificate issuance and prior to issuance of any Certificates under such Sub-CA Certificate. For Sub-CA Certificates issued by a Root Certificate not yet included in Application Software Supplier programs, disclosure occurs when the Root Certificate is submitted to the programs.

The Apple Public CA notifies other entities by posting a TLS Certificate to multiple publicly accessible Certificate Transparency logs.

4.5. KEY PAIR AND CERTIFICATE USAGE

4.5.1. Subscriber Private Key and Certificate Usage

Certificate use must be consistent with the permitted uses described in [Section 1.4.1](#).

Prior to using a Certificate, Subscribers represent that they will comply with the obligations outlined in [Section 9.6.3](#) by accepting the Terms of Use or Subscriber Agreement.

4.5.2. Relying Party Public Key and Certificate Usage

Each Relying Party represents that prior to relying on a Certificate issued by the Apple Public CA, it will comply with the obligations outlined in [Section 9.6.4](#).

Any warranties provided by the Apple Public CA are only valid if a Relying Party's reliance was reasonable and if the Relying Party adhered to the appropriate Relying Party Agreement set forth in the Repository.

4.6. CERTIFICATE RENEWAL

Certificate renewal is the issuance of a new Certificate to the Subscriber with the same Public Key and verified information (e.g. identity, domains, email address) in the Certificate. A renewed Certificate has a new serial number and an expiration date ending after the expiration date of the Certificate being renewed.

The Apple Public CA does not currently provide Certificate renewal.

4.6.1. Circumstance for Certificate Renewal

No stipulation.

4.6.2. Who May Request Renewal

No stipulation.

4.6.3. Processing Certificate Renewal Requests

No stipulation.



4.6.4. Notification of New Certificate Issuance to Subscriber

No stipulation.

4.6.5. Conduct Constituting Acceptance of a Renewal Certificate

No stipulation.

4.6.6. Publication of the Renewal Certificate by the CA

No stipulation.

4.6.7. Notification of Certificate Issuance by the CA to Other Entities

No stipulation.

4.7. *CERTIFICATE RE-KEY*

Certificate re-key is the issuance of a new Certificate to the Subscriber with a new Public Key and same verified information (e.g. identity, domains, email address) in the Certificate. A re-keyed Certificate has a new serial number and same expiration date in the Certificate being re-keyed.

The Apple Public CA does not currently provide Certificate re-key.

4.7.1. Circumstance for Certificate Re-Key

No stipulation.

4.7.2. Who May Request Certification of a New Public Key

No stipulation.

4.7.3. Processing Certificate Re-Keying Requests

No stipulation.

4.7.4. Notification of New Certificate Issuance to Subscriber

No stipulation.

4.7.5. Conduct Constituting Acceptance of a Re-Keyed Certificate

No stipulation.

4.7.6. Publication of the Re-Keyed Certificate by the CA

No stipulation.

4.7.1. Notification of Certificate Issuance by the CA to Other Entities.

No stipulation.

4.8. *CERTIFICATE MODIFICATION*

Certificate modification means the issuance of a new Certificate to the Subscriber with the same Public Key but different verified information (e.g. identity, domains, email) in the



Certificate. A modified Certificate has a new serial number and same or other expiration date ending after the expiration date of the Certificate being modified.

The Apple Public CA does not currently provide Certificate modification.

4.8.1. Circumstance for Certificate Modification

No stipulation.

4.8.2. Who May Request Certificate Modification

No stipulation.

4.8.3. Processing Certificate Modification Requests

No stipulation.

4.8.4. Notification of New Certificate Issuance to Subscriber

No stipulation.

4.8.5. Conduct Constituting Acceptance of Modified Certificate

No stipulation.

4.8.6. Publication of the Modified Certificate by the CA

No stipulation.

4.8.7. Notification of Certificate Issuance by the CA to Other Entities

No stipulation.

4.9. *CERTIFICATE REVOCATION AND SUSPENSION*

The Apple Public CA provides revocation information for all Certificates and Precertificates issued by its Root Certificates and Sub-CA Certificates. Revocation for a Precertificate is available even when it was generated but no final Certificate was issued.

4.9.1. Circumstances for Revocation

4.9.1.1. Reasons for Revoking a Subscriber Certificate

A Subscriber may request revocation of its Certificate at any time for any reason.

TLS Certificates

The Apple Public CA will revoke a TLS Certificate within 24 hours after confirming one or more of the following occurred:

1. The Subscriber requests in writing that the Apple Public CA revoke the TLS Certificate,



2. The Subscriber notifies the Apple Public CA that the original TLS Certificate Application was not authorized and does not retroactively grant authorization,
3. The Apple Public CA obtains evidence that the Subscriber's Private Key corresponding to the Public Key in the TLS Certificate suffered a Key Compromise,
4. The Apple Public CA is made aware of a demonstrated or proven method that can easily compute the Subscriber's Private Key based on the Public Key in the Certificate (such as a Debian weak key, see <https://wiki.debian.org/SSLkeys>),
5. The Apple Public CA obtains evidence that the validation of domain authorization or control for any FQDN or IP address in the TLS Certificate should not be relied upon, or
6. An Application Software Supplier asks to revoke a Subscriber's Certificate and all allowed appeal instances have been exhausted.

The Apple Public CA may revoke a TLS Certificate within 24 hours and will revoke a TLS Certificate within 5 days after confirming that one or more of the following occurred:

1. The TLS Certificate no longer complies with the requirements of Sections [6.1.5](#) and [6.1.6](#) of this CPS,
2. The Apple Public CA obtains evidence that the TLS Certificate was misused,
3. The Apple Public CA confirms that a Subscriber has violated one or more of its material obligations under any relevant agreement,
4. The Apple Public CA confirms any circumstance indicating that use of a Fully-Qualified Domain Name or IP address in the TLS Certificate is no longer legally permitted (e.g. a court or arbitrator has revoked a Domain Name Registrant's right to use the Domain Name, a relevant licensing or services agreement between the Domain Name Registrant and the Applicant has terminated, or the Domain Name Registrant has failed to renew the Domain Name),
5. The Apple Public CA confirms that a Wildcard Certificate has been used to authenticate a fraudulently misleading subordinate FQDN,
6. The Apple Public CA confirms a material change in the information contained in the TLS Certificate,
7. The Apple Public CA confirms that the TLS Certificate was not issued in accordance with the Apple Public Root CP or this CPS,



8. The Apple Public CA confirms that any of the information appearing in the TLS Certificate is inaccurate,
9. The Apple Public CA's right to issue TLS Certificates under the Apple Public Root CA expires or is revoked or terminated, unless the Apple Public CA has made arrangements to continue maintaining the CRL/OCSP Repository,
10. Revocation is required by the Apple Public Root CP and/or this CPS,
11. The Apple Public CA confirms a demonstrated or proven method that exposes the Subscriber's Private Key to compromise, or if there is clear evidence that the specific method used to generate the Private Key was flawed,
12. The Private Key used by the Apple Public CA to issue the Certificate is suspected to have been compromised, or
13. The Apple Public CA is made aware of a violation of an Application Software Supplier's then-current program requirements and was not yet part of the Apple Public Root CP or this CPS, which resulted in the misissuance of the Certificate.

S/MIME Certificates

The Apple Public CA will revoke a S/MIME Certificate after confirming one or more of the following occurred:

1. The Subscriber indicates that the original Certificate Application was not authorized and does not retroactively grant authorization,
2. The Apple Public CA obtains reasonable evidence that the Subscriber's Private Key (corresponding to the Public Key in the Certificate) has been compromised or is suspected of compromise,
3. The Apple Public CA obtains reasonable evidence that the Certificate has been used for a purpose outside of that indicated in the Certificate or in the Terms of Use,
4. The Apple Public CA receives notice or otherwise becomes aware that a Subscriber has violated one or more of its material obligations under the Terms of Use,
5. The Apple Public CA receives notice or otherwise becomes aware of any circumstance indicating that use of the email address in the Certificate is no longer legally permitted,
6. The Apple Public CA receives notice or otherwise becomes aware of a material change in the information contained in the Certificate,



7. A determination that the Certificate was not issued in accordance with this CPS,
8. The Apple Public CA determines that any of the information appearing in the Certificate is not accurate,
9. The Apple Public CA ceases operations for any reason and has not arranged for another CA to provide revocation support for the Certificate,
10. The Apple Public CA Private Key used in issuing the Certificate is suspected to have been compromised, or
11. The Apple Public CA is made aware of a violation of an Application Software Supplier's then-current program requirements and was not yet part of the Apple Public Root CP or this CPS, which resulted in the misissuance of the Certificate.

4.9.1.2. Reasons for Revoking a Sub-CA Certificate

The Apple Public CA will revoke a Sub-CA Certificate within 7 days after confirming one of the following occurred:

1. The APA requests revocation in writing,
2. The Apple Public CA becomes aware than the original request for the Sub-CA Certificate was not authorized,
3. The Private Key corresponding to the Public Key in the Sub-CA Certificate suffered a Key Compromise or no longer complies with the requirements of this CPS Sections 6.1.5 and 6.1.6,
4. The Apple Public CA obtains evidence that the Sub-CA Certificate was misused,
5. The Apple Public CA is made aware that the Sub-CA Certificate was not issued in accordance with the Apple Public Root CP, or this CPS,
6. The Apple Public CA determines that any of the information appearing in the Sub-CA Certificate is inaccurate or misleading,
7. The Apple Public CA ceases operations for any reason and has not made arrangements for another CA to provide revocation support for the Certificate,
8. The Apple Public CA's right to issue Certificates under this CPS expires or is revoked or terminated, unless the Apple Public CA has made arrangements to continue maintaining the CRL/OCSP Repository, or
9. Revocation is required by the Apple Public Root CP, or this CPS.



4.9.2. Who Can Request Revocation

For S/MIME Certificates, the Subscriber who requested the original Certificate; or for TLS Certificates, an authorized Subscriber representative (i.e., Certificate Signer, Certificate Approver, Certificate Requestors) may request the Certificate revocation.

Application Software Suppliers, and other third parties may submit Certificate Problem Reports, as outlined in [Section 1.5.2.1](#), informing the Apple Public CA of reasonable cause to revoke the Certificate.

The Apple Public CA reserves the right to revoke any Certificates, without notice, for any reason, or if it believes the Private Key has been compromised.

4.9.3. Procedure for Revocation Request

The Apple Public CA provides an online revocation process available 24x7 to Subscribers. The Subscriber, or Subscriber representative, will be required to authenticate to the enrollment system with their Identification Credential. After authentication, the requestor requests revocation of their Certificate, selects the most appropriate revocation reason, and then the Certificate will be automatically revoked. After the Certificate is revoked, a revocation notification is sent to the Subscriber.

The Apple Public CA provides instructions on how to submit a Certificate Problem Report publicly available online 24x7. After a Certificate Problem Report is received for a Certificate, it will be investigated by the Apple Public CA compliance team within 24 hours of receipt. If, as a consequence of the investigation, revocation is required for a TLS or S/MIME Certificate, an Apple Public CA representative will authorize the revocation in accordance with [Section 4.9.1.1](#), and an RA Officer will execute it.

If a revocation is required for a Sub-CA Certificate, the Compliance team will engage the APA for revocation approval and a ceremony will be promptly scheduled. After a Sub-CA Certificate is revoked, the Apple Public CA reports such revocation to Application Software Suppliers through the CCADB within 30 days of revocation. If the revocation is due to a security concern, the Apple Public CA will file an appropriate public disclosure with the Application Software Suppliers that require it (e.g. Mozilla).

4.9.4. Revocation Request Grace Period

There is no grace period within which the Subscriber must make a revocation request. Revocations can only be processed for Certificates that have not expired.

4.9.5. Time Within Which CA Must Process the Revocation Request

A revocation request submitted to the online enrollment system is processed immediately.

For revocation requests submitted through a Certificate Problem Report, a preliminary report is provided to the party that submitted the Certificate Problem



Report and to the Subscriber associated to the Certificate. Reports to the Subscriber are submitted to the email address associated to the original Certificate Application.

The Apple Public CA processes revocation requests within the timeframes outlined in Section 4.9.1.1.

4.9.6. Revocation Checking Requirement for Relying Parties

Relying Parties are solely responsible for performing revocation checking on all Certificates in the chain before deciding whether or not to rely on the information in a Certificate. The Apple Public CA provides revocation status via mechanisms that are embedded in the Certificate (e.g., CRL Distribution Point or OCSP URI).

4.9.7. CRL Issuance Frequency

For the status of Subscriber Certificates, the Apple Public CA issues a new CRL at least once every 48 hours. CRLs are issued with a nextUpdate time no longer than 7 days from the thisUpdate time.

For the status of Sub-CA Certificates, the Apple Public CA issues a new CRL at least once every 100 days. CRLs are issued with a nextUpdate time no longer than 210 days from the thisUpdate time. When a Sub-CA Certificate is revoked, a new CRL will be generated within 24 hours.

4.9.8. Maximum Latency for CRLs

CRLs are posted to the repository within a commercially reasonable time after generation.

4.9.9. On-Line Revocation/Status Checking Availability

The Apple Public CA's OCSP implementation conforms to RFC 6960.

The Apple Public CA provides OCSP status using a delegated OCSP model. Certificates used to sign OCSP responses contain the id-pkix-ocsp-nocheck extension.

The appropriate OCSP Responder is available via the URI noted in the Authority Information Access extension in the Certificate.

The Apple Public CA provides URLs for all CRLs signed by its Sub-CA Certificates to Application Software Suppliers that require them, in an appropriately-formatted structure (e.g., JSON Array), before any Subscriber Certificates are issued. URL publication to the CCADB is carried out in accordance with Mozilla Root Store Policy Section 4.1 and the Apple Root Certificate Program.

4.9.10. On-Line Revocation Checking Requirements

Before relying on a Certificate, a Relying Party must confirm the validity of a Certificate in accordance with Section 4.9.6.



The Apple Public CA's OCSP service supports the HTTP GET method for receiving requests. A valid OCSP status request must contain at a minimum the Certificate serial number and Issuer DN to receive a valid response. Once an OCSP request has been validated, a signed response is sent to the requestor indicating the status of the Certificate and showing the request was successful. Failed OCSP requests will generate a failure status back to the requestor.

For status of Subscriber Certificates, the OCSP responses will have a validity interval between eight (8) hours and ten (10) days. For responses shorter than 16 hours, updates are available prior to one-half of the validity period before the nextUpdate. For responses equal or greater than 16 hours, updates are available at least eight hours prior to the nextUpdate, and no later than four days after the thisUpdate.

For status of Sub-CA Certificates, the OCSP responses will have a validity interval no larger than 210 days. When a Sub-CA Certificate is revoked, a new response will be available within 24 hours.

Appropriate response values are provided in [Section 7.3.1](#).

4.9.11. Other Forms of Revocation Advertisements Available

No other forms of revocation advertisements are available.

4.9.12. Special Requirements re Key Compromise

In the event of key compromise of the a Root or Sub-CA Private Key, the Apple Public CA will use the practice in [Section 5.7.3](#).

In the event that a Subscriber's Private Key is reported as comprised by a party other than the Subscriber, the Apple Public CA will request that this party proves possession of the Private Key by either submitting it via email, as part of the Certificate Problem Report; or, by signing a randomly generated string provided by the Apple Public CA as a follow up to the initial report. If possession is proved, the Apple Public CA will revoke all instances of that key across all Subscribers.

If the Subscriber requests that the Apple Public CA revoke the Certificate with the keyCompromise reason, and has not previously demonstrated and cannot currently demonstrate possession of the associated Private Key of that Certificate, the Apple Public CA will revoke all Certificates associated with that Subscriber that contain that Public Key on the basis of the Subscriber Representative's access to the enrollment system needed to submit the request. The Apple Public CA prevents key reuse, effectively blocking issuance of future Certificates with the keys that have been revoked.

When the Apple Public CA obtains verifiable evidence of Private Key compromise for a previously-revoked Certificate whose CRL entry does not contain a reasonCode extension or has a reasonCode extension with a non-keyCompromise reason, the Apple Public CA will update the CRL entry to enter keyCompromise as the reason in the reasonCode extension and the revocation date when it is determined that the



Private Key of the Certificate was compromised prior to the revocation date that is indicated in the CRL entry for that Certificate.

Note: Backdating the revocationDate field is an exception to best practice described in RFC 5280 (section 5.3.2); however, the Mozilla Root Store Policy specifies the use of the revocationDate field to support TLS implementations that process the revocationDate field as the date when the Certificate is first considered to be compromised.

4.9.13.Circumstances for Suspension

The Apple Public CA does not support Certificate suspension.

4.9.14.Who Can Request Suspension

No stipulation.

4.9.15.Procedure for Suspension Request

No stipulation.

4.9.16.Limits on Suspension Period

No stipulation.

4.10. *CERTIFICATE STATUS SERVICES*

4.10.1.Operational Characteristics

The Apple Public CA offers Certificate status information using CRLs and OCSP Responses. Certificate status services are available via the CRL Distribution Point or the OCSP pointer noted in the Certificates.

Revocation entries on a CRL or OCSP Response are available until after the expiration date of the revoked Certificate.

4.10.2.Service Availability

The Apple Public CA takes commercially reasonable steps to provide Certificate status services 24x7. Those services are operated with resources sufficient to provide a response time of ten (10) seconds or less under normal operating conditions.

The Apple Public CA maintains a continuous 24x7 ability to respond internally to a high-priority Certificate Problem Report, and where appropriate, forward such a complaint to law enforcement authorities, and/or revoke a Certificate that is the subject of such a complaint.

4.10.3.Operational Features

No stipulation.



4.11. END OF SUBSCRIPTION

A Subscriber may end subscription for a Certificate by allowing the Certificate to expire, or by revoking the Certificate prior to expiration.

4.12. KEY ESCROW AND RECOVERY

4.12.1. Key Escrow and Recovery Policy and Practices

The Apple Public CA, when authorized by the Subscriber, maintains a copy of the Subscriber Private Keys associated with S/MIME Certificates used for email encryption. Those Private Keys are escrowed in an encrypted format, which provides a strength commensurate to the Private Key being escrowed.

Escrowed keys can only be recovered after confirming the authority of the party requesting the Private Key. Subscribers must present their Identification Credential to the enrollment system before they can recover Private Keys. Apple representatives may obtain an escrowed Private Key after they demonstrate they have been authorized by the Apple's legal or human resources teams to request the recovery.

4.12.2. Session Key Encapsulation and Recovery Policy and Practices

No stipulation.



5. MANAGEMENT, OPERATIONAL AND PHYSICAL CONTROLS

The Apple Public CA implements management, operational and physical controls as specified in Section 5 of the Apple Public Root CP.

5.1. PHYSICAL CONTROLS

5.1.1. Site Location and Construction

Equipment supporting CA operations resides within a physically secured location in geographically separated Apple owned or controlled facilities.

5.1.2. Physical Access

Physical protection is achieved through the creation of clearly defined security perimeters with appropriate physical barriers to entry around the business premises, data center, and CA operations.

Data center site physical security mechanisms include facility design and construction, perimeter security (e.g., heavy duty fences, gates, and barriers), and logical and personnel controls (e.g., access management, badging, and multi-factor authentication).

Within the data center, additional security controls are placed on the High Security Environments (HSE) housing CA operations. Separate logical and physical security mechanisms protect the HSEs, situated in either cages or secured rooms, and include access management controls, such as two-person access and multi-factor authentication.

By default, access to the CA operations room or cage is disabled for all personnel, with access provisioning granted on an as-needed basis for specific time intervals. Access to safes protecting assets requires two-person control.

Apple's global security team is responsible for physical access to Apple data centers and HSEs, including access management systems, access records, monitoring and alerting systems, and security personnel to provide a continuous presence at each data center facility.

5.1.3. Power and Air Conditioning

Equipment is protected to reduce risks from power and air conditioning disruption or failure. Power is maintained in emergency situations by uninterrupted power supplies and generators. Redundant power supplies are tested on a regular basis.

5.1.4. Water Exposures

Equipment is protected to reduce risks from water exposure by means of temperature and humidity monitoring.

5.1.5. Fire Prevention and Protection

The data centers are protected with fire suppression systems, alarms, and monitors.



5.1.6. Media Storage

Media is maintained securely within the CA facilities and is subject to the same degree of protection as the CA hardware. Backups are stored at secondary data center locations, as per Section 5.1.8.

5.1.7. Waste Disposal

Media used to collect sensitive information is destroyed or zeroized prior to disposal.

Cryptographic devices are physically destroyed or zeroized in accordance with manufacturer's guidance prior to disposal.

5.1.8. Off-Site Backup

Backups are taken at regular intervals and stored at alternate locations as described in Section 5.4.5. For purposes of backup and recovery, offline Root and Sub-CA Private Keys, which are stored in encrypted form, are transported to alternate secure storage under dual control. The backups exist in multiple copies in different geographic locations.

5.2. PROCEDURAL CONTROLS

5.2.1. Trusted Roles

Individuals in Trusted Roles have access to or control over cryptographic operations, including access to restricted operations within the Apple Public CA. Individuals in Trusted Roles must be Apple employees whose identity has been confirmed through background checking procedures as defined in Section 5.3 and who have accepted the responsibilities of a Trusted Role. Functions performed by persons in Trusted Roles are distributed in such a manner that prevents one person from subverting the security and trustworthiness of CA operations.

The responsibilities for each of the Trusted Roles include administration and operation tasks as described in the sections below.

5.2.1.1. CA Administrator

The CA Administrator is responsible for installation, configuration, and maintenance of the CA software, configuring Certificate Profiles, and generating and backing up Root and Sub-CA keys. CA Administrators do not issue Certificates to Subscribers.

5.2.1.2. RA Officer

The RA Officer, also known as a Validation Specialist, is responsible for verifying the identity of Applicant / Subscribers and accuracy of information included in Certificates, approving and executing the issuance of Certificates, and requesting the revocation of Certificates.



5.2.1.3. Audit Administrator

The Audit Administrator is responsible for reviewing, maintaining, and archiving audit artifacts and performing or overseeing internal compliance audits to ensure that the CA and other systems are operating in accordance with this CPS.

5.2.1.4. Operator

Operators, such as system administrators and CA operators, are responsible for keeping systems updated with software patches, hardware upgrades, and other maintenance needed for system stability and recoverability.

5.2.1.5. RA Administrator

RA Administrators install, configure and manage the RA software, including Sub-CAs and Certificate Profiles.

5.2.2. Number of Persons Required per Task

Root and Sub-CA Private Keys are backed up, stored, and recovered by individuals in Trusted Roles (both CA Administrators) under multi-person control in a physically secured environment.

Contractors serving in Trusted Roles will perform their functions under the supervision of a second Trusted Role individual who is an Apple employee.

5.2.3. Identification and Authentication for Each Role

Individuals in Trusted Roles identify and authenticate themselves using multi-factor authentication, including a certificate-based credential, before being allowed access to the systems necessary to perform their Trusted Roles.

The Apple Public CA temporarily locks access to secure CA processes if more than 5 consecutive login attempts fail.

5.2.4. Roles Requiring Separation of Duties

To accomplish separation of duties, Apple Public CA specifically designates individuals to the Trusted Roles defined in Section 5.2.1 above. Audit Administrators and RA Officers may not concurrently hold any other Trusted Role.

5.3. PERSONNEL CONTROLS

5.3.1. Qualifications, Experience, and Clearance Requirements

Individuals in Trusted Roles are Apple personnel who have successfully completed a background check consistent with federal, state, and local regulations and have demonstrated the trustworthiness, skills and experience to accept Trusted Role responsibilities. Personnel in Trusted Roles undergo training prior to performing any duties as part of that role.



5.3.2. Background Check Procedures

Apple implements several processes at both time of hire and throughout an employee's tenure to assess and validate an individual's identity and trustworthiness.

5.3.2.1. Identity verification

Apple employees complete identity verification at time of hire. U.S. based Apple employees successfully complete the verification by means of government-issued photo identification compliant with the requirements of the U.S. Department of Homeland Security Form I-9 Employment Eligibility Verification.

5.3.2.1. Trustworthiness assessment

Apple employees are required to successfully complete a background check at time of hire. Background checks can include both criminal and non-criminal services (i.e. education verification and previous employment verification) consistent with federal, state, and local regulations.

Every Apple employee's performance is reviewed on a yearly basis to ensure they are meeting Apple's high standards.

5.3.3. Training Requirements and Procedures

Individuals serving as RA Officers, also known as Validation Specialists, that perform information verification duties, receive skills-training and pass an examination prior to commencing their job role. This training includes:

- Basic Public Key Infrastructure knowledge,
- Authentication and vetting policies and procedures,
- Common threats to the information verification process (including phishing and other social engineering tactics),
- Applicable functions relative to their assigned Trusted Role.

The Apple Public CA maintains records of such training and ensures that personnel entrusted with Validation Specialist duties maintain a satisfactory skill level.

5.3.4. Retraining Frequency and Requirements

Apple employees complete training at time of hire and on an ongoing basis. Annual training includes but is not limited to: Worldwide Business Conduct, Privacy, and Compliance and Security training, with required modules determined by role and access level.

Individuals serving as RA Officers are expected to maintain skill levels consistent with the requirements of Section 5.3.3 and are retrained as requirements and responsibilities are added or modified.



5.3.5. Job Rotation Frequency and Sequence

No stipulation.

5.3.6. Sanctions for Unauthorized Actions

Appropriate disciplinary actions are taken for unauthorized actions or other violations of policies and procedures. Disciplinary actions may include measures up to and including termination and are commensurate with the frequency and severity of the unauthorized actions.

5.3.7. Independent Contractor Requirements

Contractors are allowed to serve in Trusted Roles described in Sections 5.2.1.2 and 5.2.1.4. Contractors are subject to training practices described in Section 5.3.3.

5.3.8. Documentation Supplied to Personnel

Policies and procedures are posted in an internal site that is made available to individuals in Trusted Roles.

5.4. AUDIT LOGGING PROCEDURES

5.4.1. Types of Events Recorded

The Apple Public CA configures its Certificate Systems, Certificate Management Systems, and Root CA Systems to record essential security events. When specific events cannot be logged automatically, manual procedures are put in place to record the event.

The Apple Public CA records the following events:

1. CA certificate and key lifecycle events, including:
 - i. Key generation, backup, storage, recovery, archival, and destruction,
 - ii. Request of Certificate issuance, renewal, modification, re-key, and revocation,
 - iii. Approval and rejection of certificate requests above in Section 5.4.1 (1)(ii),
 - iv. Cryptographic device lifecycle management events,
 - v. Generation of Certificate Revocation Lists,
 - vi. Signing of OCSP Responses (as described in Section 4.9 and Section 4.10), and
 - vii. Introduction of new Certificate Profiles and retirement of existing Certificate Profiles.
2. Subscriber Certificate lifecycle management events, including:
 - i. Request of Certificate issuance, renewal, modification, re-key, and revocation,
 - ii. All verification activities stipulated this CPS,



- iii. Approval and rejection of certificate requests above in Section 5.4.1 (2)(i),
- iv. Issuance of Certificates,
- v. Generation of Certificate Revocation Lists, and
- vi. Signing of OCSP Responses (as described in Section 4.9 and Section 4.10).

3. Security events, including:

- i. Successful and unsuccessful PKI system access attempts,
- ii. PKI and security system actions performed,
- iii. Security profile changes,
- iv. Installation, update and removal of software on a Certificate System,
- v. System crashes, hardware failures, and other anomalies,
- vi. Firewall and router activities, and
- vii. Entries to and exits from the CA facility.

For each event, the Apple Public CA records the date and time, type of event, and user or system that caused the event or initiated the action.

The Apple Public CA makes these records available to its external auditor as proof of compliance with this CPS.

5.4.2. Frequency of Processing and Archiving Audit Logs

The Apple Public CA reviews system logs at least monthly to detect anomalies or irregularities. Automated tools are used to alert for specific conditions. Reviewed activities are tracked and documented, and are made available to external auditors upon request.

5.4.3. Retention Period for Audit Logs

Audit logs are retained for a minimum of two (2) years after the following:

- 1. For CA certificate and key lifecycle management event records (specified in Section 5.4.1(1)), after the later occurrence of:
 - i. the destruction of the CA Private Key, or
 - ii. the revocation or expiration of the final CA Certificate in that set of Certificates that have an X.509v3 basicConstraints extension with the cA field set to true and which share a common Public Key corresponding to the CA Private Key,
- 2. For Subscriber Certificate lifecycle management event records (specified in Section 5.4.1(2)), after the expiration of the Subscriber Certificate,
- 3. For security event records (as specified in Section 5.4.1(3)) after the event occurred.

Apple Public CA makes these audit logs available to its external auditor upon request.



5.4.4. Protection of Audit Log

Online audit logs are maintained securely within the CA facilities and are subject to the same degree of protection as the CA hardware. Archived audit logs are maintained in a secondary storage location as per [Section 5.4.5](#). CA system configurations and operational procedures ensure that only authorized personnel may read or archive audit logs, and that audit logs are protected from unauthorized modification or deletion.

5.4.5. Audit Log Backup Procedures

Systems hosting audit data are backed up daily. The data is replicated to a secondary site, which is in a geographically separated Apple facility. Audit logs are archived monthly and retained for the duration of the retention period described in [Section 5.4.3](#).

5.4.6. Audit Collection System (Internal Vs. External)

Audit logs are collected using enterprise-grade storage management systems, stored only within Apple data centers, as defined in [Section 5.4.5](#).

5.4.7. Notification To Event-Causing Subject

No stipulation.

5.4.8. Vulnerability Assessments

The Apple Public CA performs an annual risk assessment to:

1. Identify threats that could result in unauthorized access, disclosure, misuse, alteration, or destruction of any Certificate Data or Certificate Management Processes,
2. Assess the likelihood and potential damage of these threats, taking into consideration the sensitivity of the Certificate Data and Certificate Management Processes, and
3. Assess the sufficiency of the policies, procedures, information systems, technology, and other arrangements that the CA has in place to counter such threats.

5.5. RECORDS ARCHIVAL

5.5.1. Types of Records Archived

The Apple Public CA archives the following types of records:

1. Records of the events listed in [Section 5.4.1](#),
2. Known and suspected violations of physical security and, if applicable, remedial actions taken as a result,
3. All versions of the Apple Public Root CP and this CPS,



4. Agreements (e.g., Relying Party Agreement, Subscriber Agreement, Terms of Use),
5. System and equipment configurations, modifications, and updates,
6. Sufficient identity authentication data to satisfy the identification requirements of Section 3.2,
7. Issued Certificates,
8. Data and applications necessary to verify the archive contents,
9. Compliance auditor reports,
10. Changes to audit parameters,
11. Attempts to delete or modify audit logs,
12. Access to Private Keys for key recovery purposes (S/MIME Certificates only),
13. Export of Private Keys,
14. Appointment of an individual to a Trusted Role,
15. Destruction of a cryptographic module,
16. All Certificate compromise notification requests,
17. Certificate Problem Reports,
18. Remedial action taken as a result of violations of physical security, and
19. Violations of this CPS.

5.5.2. Retention Period for Archive

Records listed in Section 5.5.1 above are retained for at least two (2) years after any Certificate ceases to be valid or as long as they are required to be retained per Section 5.4.3, whichever is longer.

Apple Public CA also retains archived documentation relating to the verification, issuance, and revocation of certificate requests and Certificates after the later occurrence of:

- such records and documentation were last relied upon in the verification, issuance, or revocation of certificate requests and Certificates; or
- the expiration of all the Subscriber Certificates relying upon such records and documentation



5.5.3. Protection of Archive

Archive records are maintained in a manner to prevent unauthorized modification, substitution, or destruction.

The systems hosting the archived data therein are subject to authentication and authorization mechanisms, redundancy, backup storage in secondary sites, equipment updates and media refreshes.

Apple ensures that the archived records are retained in the software systems until no longer needed, or migrated to a replacement system in the event that the record retention requirement is longer than the lifespan of the software system.

5.5.4. Archive Backup Procedures

The Apple Public CA archives are backed up to storage in a different, geographically separated, Apple owned or controlled facility or service.

5.5.5. Requirements for Time-Stamping of Records

The systems hosting the archived data automatically timestamp archive records as they are created. System time is synchronized using the Network Time Protocol (NTP). Cryptographic time-stamping of archive records is not performed.

5.5.6. Archive Collection System (Internal or External)

The Apple Public CA collects archive information internally.

5.5.7. Procedures to Obtain and Verify Archive Information

Apple restricts access to archive data to authorized trusted personnel and Apple staff only, in accordance with internal procedures and security policies. Apple does not release any archived information except as allowed by law as specified in Section 9.

5.6. KEY CHANGEOVER

Towards the end of each Root CA or Sub-CA lifetime, a new CA Key Pair is generated following the procedures in Section 6.1.1.1.

The old Root CA Private Key will no longer be used to sign new Sub-CA Certificates. All subsequently issued Sub-CA Certificates issued from the new Root CA are signed with the new Private Key.

The old Sub-CA Private Key will no longer be used to sign new Subscriber Certificates, but will be used to sign CRLs and delegated OCSP Responder Certificates. All subsequently issued Subscriber Certificates, CRLs, and delegated OCSP Responder Certificates issued from the new Sub-CA are signed with the new Private Key.

The Apple Public CA will continue to protect its old Private Keys, and makes the old Root and Sub-CA Certificates available to verify signatures at least until all of the Certificates signed with the respective Private Key have expired.



5.7. COMPROMISE AND DISASTER RECOVERY

5.7.1. Incident and Compromise Handling Procedures

The Apple Public CA maintains an Incident Response Plan and a Disaster Recovery Plan as specified in Section 5.7.1 of the Apple Public Root CP.

5.7.2. Computing Resources, Software, and/or Data Are Corrupted

In the event of a disaster in which computing resources, software, and/or data is corrupted, appropriate escalation, incident investigation, and response will be initiated. The Apple Public CA will halt the issuance or validation of Certificates if compromise of those systems, or data, may cause the generation of Certificates or status responses that do not comply with this CPS.

In the event of a disruption, when restoring operations, the Apple Public CA will give priority to reestablishing the generation of Certificate status information.

5.7.3. Entity Private Key Compromise Procedures

In the event of compromise, suspected compromise, or loss of a Root or Sub-CA Private Key, appropriate escalation, incident investigation, and response will be initiated. This response will include filing an incident report with the Application Software Suppliers as stated in Section 5.7.1 of the Apple Public Root CP.

If the investigation confirms the need for revocation of a Sub-CA Certificate, the Apple Public CA will revoke the compromised Certificate. Subsequently, a new CA Key Pair will be created, and a new Sub-CA Certificate created. The Apple Public CA will also revoke, and if necessary reissue, all impacted Subscriber Certificates.

If a Root Certificate is compromised, the Apple Public CA will work with Application Software Suppliers to address the retirement of the Certificate in an orderly manner. Actions prior to retirement may include the revocation of all Sub-CA and Subscriber Certificates and subsequent re-issuance.

5.7.4. Business Continuity Capabilities After a Disaster

The Disaster Recovery Plan noted in Section 5.7.1 relies on preparation before a disaster event as well as actions triggered by the disaster event.

Prior to a disaster event, systems are required to be architected with multiple redundant layers and are allocated in multiple geographically diverse locations to provide continuous operation. Risk vectors are re-evaluated continuously and the plan is strengthened based on findings.

When a disaster impacts one of the redundant layers, the other layers will continue operations without, or with minimal, interruption.



5.8. CA OR RA TERMINATION

Any decision to terminate the Apple Public CA shall be approved by the Apple CA Policy Authority prior to the effective date of termination.

As part of the termination procedure, the Apple Public CA will execute the termination plan that addresses the following:

- Provision of notice to parties affected by the termination,
- The revocation of Certificates issued by the Apple Public CA,
- The preservation of the Apple Public CA's archives and records.



6. TECHNICAL SECURITY CONTROLS

6.1. KEY PAIR GENERATION AND INSTALLATION

6.1.1. Key Pair Generation

6.1.1.1. CA Key Pair Generation

The Apple Public CA generates CA Key Pairs used in Root and Sub-CA Certificates during a scripted ceremony, conducted by trusted personnel observing separation of duties and two-person controls consistent with [Section 5.2](#), witnessed by external qualified auditors. A report is produced by the auditors opining on the ceremony.

Ceremonies are conducted in secure facilities described in [Section 5.1](#). CA Key Pairs are generated using FIPS-validated Cryptographic Modules complying with [Section 6.2.1](#). The ceremony produces evidence available to auditors to verify that appropriate controls were met.

6.1.1.2. RA Key Pair Generation

No stipulation.

6.1.1.3. Subscriber Key Pair Generation

The Apple Public CA does not generate Key Pairs for TLS Certificates. These Key Pairs are generated by the Subscriber. Apple Public CA may generate Key Pairs when Apple Public CA is the Subscriber.

Before including a Subscriber's key in a TLS Certificate, the key is verified to meet the minimum sizes specified in [Section 6.1.5](#), parameters in [Section 6.1.6](#), and checked against weak keys (e.g., Debian weak keys). Keys that do not meet those specifications are rejected.

The Apple Public CA does not generate Key Pairs used in S/MIME Certificates except when those keys are used in Certificates issued to Apple staff. All keys are verified to meet size requirements in [Section 6.1.5](#) and parameters in [Section 6.1.6](#).

The Apple Public CA does not allow key re-use, which prevents known compromised keys associated with revoked Certificates or rejected Certificate Applications to be used in a new Certificate Application.

The Apple Public CA also uses a validation mechanism prior to issuing the Certificate. This mechanism includes evaluation of the submitted Public Key using constraints configured as a result of monitoring guidelines and warnings from CAB Forum, Application Software Supplier websites, NIST and other relevant sources. These constraints include detecting keys generated with known flawed methods, or that are associated with demonstrated or proven methods that



expose the Applicant's Private Key to compromise. Keys generated with those methods are rejected.

6.1.2. Private Key Delivery to Subscriber

For S/MIME Certificates issued to Apple staff, the Key Pair is provided to the Subscriber using a PKCS#12 file protected by a password with a strength commensurate to the protected key. The PKCS#12 file is distributed separately from the password.

6.1.3. Public Key Delivery to Certificate Issuer

Public Keys for TLS Certificates are submitted using a PKCS#10 CSR over a TLS connection.

6.1.4. CA Public Key Delivery to Relying Parties

Root Certificates are distributed via Application Software Suppliers' operating systems, browser, mail and other clients. Root Certificates are also hosted on the online Repository indicated in Section 2.1.

Sub-CA Certificates are hosted online and can be reached through a URL provided in the Authority Information Access' caLSSuer field of the Subscriber Certificate. Software clients used by Relying Parties can leverage path discovery to obtain Certificates using the caLSSuer information.

6.1.5. Key Sizes

6.1.5.1. Root Certificates

The Apple Public CA generates CA Key Pairs for its Root Certificates and ensures they meet the following:

- RSA Modulus Size (bits): 4096
- Elliptic Curve: NIST P-384

6.1.5.2. Sub-CA Certificates

The Apple Public CA generates CA Key Pairs for its Sub-CA Certificates and ensures they meet the following:

- RSA Modulus Size (bits): 2048, 3072 or 4096
- Elliptic Curve: NIST P-256 or P-384

6.1.5.3. Subscriber Certificates

The Apple Public CA ensures that Key Pairs used in Subscriber Certificates meet the following:



TLS Certificates:

- RSA Modulus Size (bits): 2048, 3072 or 4096
- Elliptic Curve: NIST P-256 or P-384

S/MIME Certificates:

- RSA Modulus Size (bits): 2048, 3072 or 4096
- Elliptic Curve: NIST P-256 and P-384

6.1.6. Public Key Parameters Generation and Quality Checking

For Subscriber RSA keys, the enrollment system confirms that the value of the public exponent is an odd number in the range between $2^{16} + 1$ and $2^{256} - 1$. The system also confirms the modulus is an odd number, not the power of a prime, and has no factors smaller than 752.

For Subscriber ECDSA keys, the enrollment system confirms the validity of all keys using the ECC Partial Public Key Validation Routine first two checks.

For CA RSA keys, the CA system confirms that the value of the public exponent is an odd number in the range between $2^{16} + 1$ and $2^{256} - 1$. The system also confirms the modulus is an odd number, not the power of a prime, and has no factors smaller than 752.

For CA ECDSA keys, the CA system confirms the validity of all keys using the ECC Partial Public Key Validation Routine first two checks.

6.1.7. Key Usage Purposes (as per X.509 v3. Key Usage Field)

The Apple Public CA uses the Private Keys corresponding to Root Certificates only for purposes of signing:

- The Root Certificate itself,
- Sub-CA Certificates,
- Certificates for OCSP Responders, and,
- CRLs.

The use of a specific key is determined by the Key Usage and Extended Key Usage extensions in the X.509 Certificate. The Apple Public CA uses in its Certificates only the Key Usage and Extended Key Usage extension values defined in Section 7.2.



6.2. PRIVATE KEY PROTECTION AND CRYPTOGRAPHIC MODULE ENGINEERING CONTROLS

6.2.1. Cryptographic Module Standards and Controls

Root, Sub-CA, and OCSP Responder Private Keys are generated and stored in Cryptographic Modules that are validated as FIPS 140-2 level 3.

6.2.2. Private Key (n out of m) Multi-Person Control

The Apple Public CA generates Root CA and Sub-CA Key Pairs, including backups, and activates Private Keys for signature operations in a physically secure environment, under multi-person control by individuals in Trusted Roles.

6.2.3. Private Key Escrow

Root and Sub-CA Private Keys are backed up but not escrowed.

S/MIME Private Keys may be escrowed in accordance with practices in [Section 4.12](#).

6.2.4. Private Key Backup

The Apple Public CA backs up its Root CA and Sub-CA Private Keys in a physically secure environment, under multi-person control by individuals in Trusted Roles, storing at least one backup at a secure, secondary location. All copies of its Root and Sub-CA Private Keys are protected in the same manner as the original.

6.2.5. Private Key Archival

The Apple Public CA does not archive Private Keys used in Root Certificates or Sub-CA Certificates.

6.2.6. Private Key Transfer Into or From a Cryptographic Module

Transfer of the Root and Sub-CA Private Key into or from a Cryptographic Module, performed only for key backup procedures, is done in accordance with the manufacturers' guidelines, under multi-person control by individuals in Trusted Roles. The Apple Public CA never allows the Private Keys to exist in plaintext outside of these Cryptographic Modules at any point in time.

6.2.7. Private Key Storage on Cryptographic Module

Root and Sub-CA Private Keys, including backups, are stored in Cryptographic Modules that meet the specifications in [Section 6.2.1](#).

6.2.8. Method of Activating Private Key

Activation of Root and Sub-CA Private Keys is done in accordance with the guidelines provided by the manufacturer of the Cryptographic Module, under multi-person control, performed by individuals in Trusted Roles. Activation data will be protected from disclosure or communication to any external party.



6.2.9. Method of Deactivating Private Key

Sub-CA Private Keys are deactivated upon executing a deactivation command. Root Private Keys are deactivated upon system power off. The Apple Public CA prevents unauthorized access to any activated Cryptographic Modules.

6.2.10. Method of Destroying Private Key

Root and Sub-CA Private Keys on Cryptographic Modules will be destroyed by individuals in Trusted Roles in accordance with instructions and documentation provided by the manufacturer, when no longer needed.

6.2.11. Cryptographic Module Rating

See specification in [Section 6.2.1](#).

6.3. OTHER ASPECTS OF KEY PAIR MANAGEMENT

6.3.1. Public Key Archival

Public Keys are archived as part of the Certificate archival in compliance with [Section 5.5](#).

6.3.2. Certificate Operational Periods and Key Pair Usage Periods

The operational period for Key Pairs is the same as the Validity Period for associated Certificates.

Certificates issued by the Apple Public CA are limited to the following Validity Periods:

- Root Certificates: up to 7390 days.
- Sub-CA Certificates: up to 3740 days.
- TLS Certificates: up to 396 days.
- S/MIME Certificates: up to 800 days.
- OCSP Responder for Root: up to 136 days.
- OCSP Responder for Sub-CA: up to 43 days.

6.4. ACTIVATION DATA

6.4.1. Activation Data Generation and Installation

The Apple Public CA follows the manufacturer specifications for the activation data required for Root and Sub-CA Private Keys. As specified in [Section 6.2.2](#), to activate a Cryptographic Module, M of N secrets are required. Those secrets are generated when the Cryptographic Module is initialized and they are stored on separate secure tokens.



6.4.2. Activation Data Protection

The Apple Public CA protects from disclosure the data used to unlock Private Keys using a combination of cryptographic and physical access control mechanisms. Secure tokens with activation data are kept under multi-person control, as specified in Section 5.1.2, and require a PIN of minimum eight (8) digits to unlock for use.

The Apple Public CA locks access to secure CA processes if a certain number of failed password attempts occur as specified in Section 5.2.3.

6.4.3. Other Aspects of Activation Data

No stipulation.

6.5. COMPUTER SECURITY CONTROLS

6.5.1. Specific Computer Security Technical Requirements

The Apple Public CA configures systems to meet the following security technical requirements, at a minimum:

- User identities are authenticated before access is permitted to systems or applications,
- User privileges are managed to limit users to their assigned roles,
- Audit records are generated and archived for applicable transactions,
- Domain integrity boundaries are enforced for security critical processes, and
- Recovery is supported for key or system failures.

The Apple Public CA enforces multi-factor authentication on any account capable of directly causing Certificate issuance.

6.5.2. Computer Security Rating

No stipulation.

6.6. LIFE CYCLE TECHNICAL CONTROLS

6.6.1. System Development Controls

The Apple Public CA acquires CA and OCSP Responder software from a reputable third-party. The vendor has an established software development life-cycle management process.

The Apple Public CA develops some software modules in-house, also following an established software development life-cycle management process.

For Apple Public CA operations, this software is installed on dedicated hardware.



Purchases of hardware and software assets are conducted using established procurement processes and delivered using tracked and verifiable mechanisms in order to reduce the likelihood of tampering

The Apple Public CA uses a formal configuration management methodology for installation and ongoing maintenance of any CA system. Any modifications or upgrades to the system are documented and controlled.

6.6.2. Security Management Controls

The Apple Public CA system configurations are periodically reviewed to identify any unauthorized changes.

The Apple Public CA maintains change control mechanisms to document, control, monitor, and maintain the installation and configuration of the CA systems, including any modifications or upgrades. When loading software onto a CA system, the Apple Public CA verifies that the software is the correct version and is supplied by the vendor free of any modifications.

6.6.3. Life Cycle Security Controls

No stipulation.

6.7. NETWORK SECURITY CONTROLS

Network security measures are in place to protect against denial of service and intrusion attacks, including denying all but the necessary services to support the CA systems, network segmentation, access limited to CA personnel, and regular review of network, firewall, ACL, and load balancer configurations. Initial configurations are reviewed to verify that all versions are correct and are set as supplied by the vendor free of any modifications.

6.8. TIME-STAMPING

Apple Public CA systems are continuously synchronized using the Network Time Protocol (NTP) by means of NTP pools dedicated to each Apple data center. NTP services on CA systems are monitored to ensure the NTP service is running and to detect if the system clock is out of synchronization with UTC.



7. CERTIFICATE, CRL, AND OCSP PROFILES

7.1. CERTIFICATE PROFILE

The CA System generates non-sequential Certificate serial numbers greater than zero (0) containing at least 64 bits of output from a CSPRNG.

7.1.1. Version Numbers

Certificates issued under this CPS are X.509 version 3.

7.1.2. Certificate Extensions

The Apple Public CA issues Certificates with the extensions shown below. All extensions are set in accordance with RFC 5280.

For Certificates other than Root Certificates, the Apple Public CA may include private Certificate extensions as long as they are: 1) marked non-critical, and 2) identified by an OID within an arc owned by the Subscriber (i.e., Apple Inc. or a subsidiary).

Root Certificates

| Extension | Critical | Required /Optional | Value |
|--------------------------|----------|--------------------|------------------------------------------------------------------------------------------|
| Key Usage | Yes | Required | keyCertSign, cRLSign |
| Basic Constraints | Yes | Required | cA = True |
| Authority Key Identifier | No | Required | Same value as Subject Key Identifier |
| Subject Key Identifier | No | Required | keyIdentifier field contains identifier derived from Root Certificate's subjectPublicKey |

Sub-CA Certificates

| Extension | Critical | Required /Optional | Value |
|--------------------|----------|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| Key Usage | Yes | Required | keyCertSign, cRLSign |
| Extended Key Usage | No | Required | For TLS-issuing: serverAuth and, optionally, clientAuth For Email-issuing: emailProtection and, optionally, clientAuth |
| Basic Constraints | Yes | Required | cA = True pathLenConstraint = zero (0) |



| Extension | Critical | Required /Optional | Value |
|------------------------------|----------|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| Authority Key Identifier | No | Required | keyIdentifier field contains Identifier of Issuer CA's subjectPublicKey. authorityCertIssuer and authorityCertSerialNumber fields are not present. |
| Subject Key Identifier | No | Required | Identifier of the subject's Public Key |
| Certificate Policies | No | Required | Policy OIDs as specified in Section 7.1.6 Policy Qualifiers as specified in Section 7.1.8 |
| CRL Distribution Point | No | Required | HTTP URL to CRL |
| Authority Information Access | No | Required | HTTP URL to OCSP Responder |
| Private Subscriber Extension | No | Optional | Private extension OID exists within an arc owned by the Issuing CA stated in the Sub-CA Certificate's Subject DN. |

TLS Certificates

TLS Certificates will include the "Required" extensions but may omit "Optional" ones.

| Extension | Critical | Required /Optional | Value |
|--------------------------|----------|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Key Usage | Yes | Optional | For RSA keys: Digital Signature, Key Encipherment or For EC Keys: Digital Signature |
| Extended Key Usage | No | Required | Server Authentication |
| Basic Constraints | Yes | Optional | cA = False |
| Authority Key Identifier | No | Required | keyIdentifier field contains Identifier of Issuer CA's Certificate subjectPublicKey. authorityCertIssuer and authorityCertSerialNumber fields are not present. |
| Subject Key Identifier | No | Required | Identifier of the subject's Public Key |



| Extension | Critical | Required /Optional | Value |
|------------------------------------|----------|--------------------|------------------------------------------------------------------------------------------------------------|
| Certificate Policies | No | Required | Policy OIDs as specified in <u>Section 7.1.6</u> Policy Qualifiers as specified in <u>Section 7.1.8</u> |
| CRL Distribution Point | No | Optional | HTTP URL to CRL |
| Authority Information Access | No | Required | HTTP URL to the OCSP Responder HTTP URL to the Issuer CA's Certificate |
| Subject Alternative Name | No | Required | dnsName (minimum of 1, maximum of 100) As specified in <u>Section 7.1.4.3</u> |
| Signed Certificate Timestamp (SCT) | No | Optional | At least three (3) SCTs and not more than two (2) SCTs from the same CT log operator. |
| Private Subscriber Extension | No | Optional | Private extension OID must exist within an arc owned by the Subscriber in the Subject DN. |



S/MIME Certificates

S/MIME Certificates will include the "Required" extensions but may omit "Optional" extensions.

| Extension | Critical | Required /Optional | Value |
|------------------------------|----------|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Key Usage | Yes | Required | <p><u>Key used for signing only</u> For RSA and ECC keys: digitalSignature</p> <p><u>Key used for encryption only</u> For RSA keys: keyEncipherment or For ECC Keys: keyAgreement; and encipherOnly or decipherOnly</p> <p><u>Key used both for signing and encryption</u> For RSA keys: digitalSignature and keyEncipherment</p> <p>For ECC keys: digitalSignature and keyAgreement and encipherOnly or decipherOnly</p> |
| Extended Key Usage | No | Required | emailProtection, clientAuth |
| Basic Constraints | Yes | Optional | cA = False |
| Authority Key Identifier | No | Required | keyIdentifier field contains Identifier of Issuer CA's Certificate subjectPublicKey. authorityCertIssuer and authorityCertSerialNumber fields are not present. |
| Subject Key Identifier | No | Required | Identifier of the subject's Public Key |
| Certificate Policies | No | Required | <p>Policy OIDs as specified in <u>Section 7.1.6</u></p> <p>Policy Qualifiers as specified in <u>Section 7.1.8</u></p> |
| CRL Distribution Point | No | Optional | HTTP URL to CRL |
| Authority Information Access | No | Required | <p>HTTP URL to OCSP Responder</p> <p>HTTP URL to Issuer CA's Certificate</p> |



| Extension | Critical | Required /Optional | Value |
|--------------------------|----------|--------------------|----------------------------------------------|
| Subject Alternative Name | No | Required | rfc882Name as specified in Section 7.1.4.2.1 |

7.1.3. Algorithm Object Identifiers

7.1.3.1. SubjectPublicKeyInfo

The Apple Public CA and Subscribers use these algorithms to generate Key Pairs:

| Algorithm (Object Identifier) | Parameters | Hexadecimal Parameter Encoding |
|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| rsaEncryption (1.2.840.113549.1.1.1) | Always present. Content is NULL (explicit) | 300d06092a864886f7 0d0101010500 |
| id-ecPublicKey (1.2.840.10045.2.1) | Always present. Content is namedCurve P-256 key: secp256r1 1.2.840.10045.3.1.7 P-384 key: secp384r1 1.3.132.0.34 | secp256r1: 301306072a8648ce3d 020106082a8648ce3d 030107 secp384r1: 301006072a8648ce3d 020106052b81040022 |

7.1.3.2. Signature Algorithm Identifier

The Apple Public CA may use these signature algorithms:

| Algorithm (Object Identifier) | Parameter | Hexadecimal Parameter Encoding |
|-----------------------------------------------|--------------------------------|------------------------------------|
| sha256WithRSAEncryption 1.2.840.113549.1.1.11 | RSASSA-PKCS1-v1_5 with SHA-256 | 300d06092a864886f7 0d01010b0500 |
| sha384WithRSAEncryption 1.2.840.113549.1.1.12 | RSASSA-PKCS1-v1_5 with SHA-384 | 300d06092a864886f7 0d01010c0500 |
| ecdsa-with-SHA256 1.2.840.10045.4.3.2 | ECDSA with SHA-256 | 300a06082a8648ce3d040302 |
| ecdsa-with-SHA384 1.2.840.10045.4.3.3 | ECDSA with SHA-384 | 300a06082a8648ce3d040303 |



7.1.4. Name Forms

7.1.4.1. Name Encoding

For all Certificates issued under this CPS, the encoded content of the Issuer DN matches byte-for-byte the encoded form of the Subject DN field of its Issuing CA Certificate.

For each CA Certificate in the Certification Path, the encoded content of the Subject DN field of a Certificate matches byte-for-byte identical all Certificates whose Subject Distinguished Names can be compared as equal according to RFC 5280, Section 7.1, and including expired and revoked Certificates.

7.1.4.2. Subject Information – Subscriber Certificates

Currently, the Apple Public CA does not include IP addresses in its TLS Certificates. Domain Names are included as specified in [Section 3.2.2](#). Subject DN fields only with metadata such as ".", "-", and " " (i.e., space) characters are not allowed.

The Apple Public CA issues S/MIME Certificates of type Mailbox-Verified and Sponsor-Verified, which are verified in accordance with [Section 3.2.2](#).

The fields listed below are included depending on the Certificate type:

TLS Certificates

| Field | Required / Optional | Value (Example) |
|------------------|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| Country (C) | Required | ISO-3166 country code (e.g., US) |
| State (ST) | Required | State Name (e.g., California) |
| Organization (O) | Required | Subscriber Name (e.g., Apple Inc.) |
| Common Name | Optional | A verified Wildcard Domain Name or FQDN that is character-for-character identical to a dNSName in the Subject Alternative Name Extension. |

S/MIME Certificates

| Field | Certificate Type | | Value (Example) |
|-------------|-------------------|-------------------|----------------------------------|
| | Mailbox Validated | Sponsor Validated | |
| Country (C) | Not Used | Required | ISO-3166 country code (e.g., US) |
| State (ST) | Not Used | Required | State Name (e.g., California) |



| Field | Certificate Type | | Value (Example) |
|------------------|-------------------|-------------------|------------------------------------|
| | Mailbox Validated | Sponsor Validated | |
| Organization (O) | Not Used | Required | Subscriber Name (e.g., Apple Inc.) |
| Common Name | Optional | Optional | Verified email address |

7.1.4.2.1. Subject Alternative Name Extension

TLS and S/MIME Certificates contain the Subject Alternative Name Extension.

For TLS Certificates this extension is populated with at least one dnsName entry. Prior to issuing the Certificate, each dNSName is confirmed to be either a Wildcard Domain Name or FQDN. Every Domain Label in the dNSName is confirmed to be an LDH Label that conforms to the specification for a P-Label or a Non-Reserved LDH Label.

For S/MIME Certificates this extension is populated with the rfc822Name.

| Field | Certificate Type | | Value (Example) |
|------------|------------------|----------|--------------------------------------------------------------------------------|
| | TLS | S/MIME | |
| dNSName | Required | Not Used | A verified Wildcard Domain Name or FQDN Internal Names are not allowed. |
| rfc822Name | Not Used | Required | Verified Email Address |

7.1.4.3. Subject Information - Root Certificates and Subordinate CA Certificates

The Apple Public CA pursues issuance of Root Certificates and Subordinate CA Certificates that conform to the Subject DN structures below.

Root Certificates

| Field | Value |
|------------------|--------------------------------------------------|
| Country (C) | US |
| Organization (O) | Apple Inc. |
| Common Name | Apple Public [type] [algorithm] Root CA [number] |

Type: A string identifying the type of Certificates issued under the Root Certificate. For example: "TLS" or "Email". For future use, the string may contain the letters "EV" to indicate Extended Validation.



Algorithm: A string representing the algorithm used to generate the Root Certificate Key Pair. For example, "ECC" or "RSA".

Number: A numeric value that uniquely distinguishes the Root Certificate from others within the same type/algorithm pair.

Sub-CA Certificates

| Field | Value |
|------------------|-------------------------------------------------------------|
| Country (C) | US |
| Organization (O) | Apple Inc. |
| Common Name | Apple Public [type] [algorithm] CA [number] – G[generation] |

Type: A string identifying the type of Certificates issued under the Subordinate CA Certificates. For example: "TLS" or "Email". For future use, the string may contain the letters "EV" to indicate Extended Validation.

Algorithm: A string representing the algorithm used to generate the Sub-CA Certificate Key Pair. For example, "ECC" or "RSA"

Number: A numeric value that uniquely distinguishes the Sub-CA Certificate from others within the same type/algorithm pair across all the Root Certificate naming space.

Generation: A numeric value that starts with one (1) and increases by one (1) when a new Certificate, that supersedes an existing one, is issued by the same Root Certificate.

7.1.5. Name Constraints

No stipulation.

7.1.6. Certificate Policy Object Identifier

Certificates issued by the Apple Public CA that contain the CertificatePolicy extension in accordance with [Section 7.1.2](#) are populated with at least one policy OID.

When a CAB/Forum reserved policy OID is included, its equivalent Apple reserved policy OID is also included.

Certificates for Issuing CAs will include only policy OIDs for which they are authorized to issue. In cases where Apple Inc. is the operator of the CA, the Certificate may contain the anyPolicy identifier (2.5.29.32.0) instead.

Inclusion of the policy OID indicates adherence to the requirements described in the Apple Public Root CP.

Policy OIDs included in Certificates are specified in the table below and mirror the Apple Public Root CP Section 7.1.6.1.



| Certificate Type | CABF Policy OID | APR Policy OID |
|------------------------------|-----------------|---------------------------------------------------------------------------------------------------|
| TLS Domain Validated | 2.23.140.1.2.1 | 1.2.840.113635.100.5.19.2.2.1 |
| TLS Organization Validated | 2.23.140.1.2.2 | 1.2.840.113635.100.5.19.2.2.2 |
| TLS Individual Validated | 2.23.140.1.2.3 | 1.2.840.113635.100.5.19.2.2.3 |
| S/MIME Only Sign and Encrypt | - | 1.2.840.113635.100.5.11.5.1 |
| S/MIME Only Sign | - | 1.2.840.113635.100.5.11.5.2 |
| S/MIME Only Encrypt | - | 1.2.840.113635.100.5.11.5.3 |
| Future Use | - | 1.2.840.113635.100.5.11.5. <i>n</i> where <i>n</i> may be a number between 4 and 15, inclusive |

7.1.7. Usage of Policy Constraints Extension

No stipulation.

7.1.8. Policy Qualifiers Syntax and Semantics

The Apple Public CA includes the CPSurl qualifier containing a URL pointing to this CPS in all Certificates except Root Certificates and Sub-CA Certificates.

Certificates with a CPSurl may also include the userNotice qualifier with a statement explaining conditions for reliance by a Relying Party.

7.1.9. Processing Semantics for the Critical Certificate Policies Extension

No stipulation.

7.2. CRL PROFILE

7.2.1. Version Number

CRLs issued by the Apple Public CA conform to the X.509 version 2 format.

Each CRL contains the following fields:

| Field | Value |
|--------|-------------------------|
| Issuer | Issuing CA's Subject DN |



| Field | Value |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Signature Algorithm: | Algorithm used by the Issuing CA to sign Certificates |
| thisUpdate | Date of CRL issuance in UTCTime |
| nextUpdate | date of issuance of the next CRL in UTCTime |
| List of Revoked Certificates | Certificate's Serial Number (or in cases that a Precertificate was generated but no Certificate was created, the Precertificate's serial number) Revocation date in UTCTime Reason code (optional in CRLs issued by Sub-CA Certificates) |

7.2.2. CRL and CRL Entry Extensions

CRLs will include the "Required" extensions but may omit "Optional" ones.

CRLs issued by Root CAs will include the following:

| CRL Entry Extension | Critical | Required/Optional | Value |
|--------------------------|----------|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CRL Number | No | Required | Monotonically increasing sequence number |
| Authority Key Identifier | No | Required | keyIdentifier field contains Identifier to Issuer CA's subjectPublicKey. |
| Reason Code | No | Required | When the extension is included, codes are used this way: keyCompromise: when a key is suspected of, or, is compromised. cessationOfOperation: when the CA is terminated. superseded: for any other cause. These reason codes are never used: unspecified and certificateHold . |

CRLs issued by Subordinate CAs will include the following:



| CRL Entry Extension | Critical | Required/ Optional | Value |
|--------------------------|----------|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CRL Number | No | Required | Monotonically increasing sequence number |
| Authority Key Identifier | No | Required | keyIdentifier field contains Identifier to Issuer CA's subjectPublicKey. |
| Reason Code | No | Optional | <p>One of the following (See Note 1):</p> <ul style="list-style-type: none">• superseded• cessationOfOperation• affiliationChanged (See Note 2)• keyCompromise• privilegeWithdrawn (See Note 2) <p>This reason codes are never included:</p> <ul style="list-style-type: none">• certificateHold• unspecified (See Note 3) |

Note 1: Reason Codes are selected by the Subscriber or the Apple Public CA based on guidance provided in [Appendix C](#).

Note 2: The `privilegeWithdrawn` and `affiliationChanged` reason codes are not made available for selection by the Subscriber as only the Apple Public CA can conclusively determine reasons resulting on these reason codes.

Note 3: Selecting the `unspecified` reason code option results in the `reasonCode` CRL entry extension being omitted from the CRL entry.

7.3. OCSP PROFILE

7.3.1. Version Number

OCSP responses conform to version 1 in RFC 6960.

OCSP responses provided by an OCSP Responder from a Root CA will include the following fields:

| Field | Value |
|------------------------|----------------------------------------------------------------------------|
| Signature Algorithm | sha256WithRSASignature or ecdsa-with-SHA256 |
| thisUpdate | Time at which the status indicated is known to the responder to be correct |
| nextUpdate | Time at which newer information will be available |
| Responder's Identifier | OCSP Responder's Public Key SHA1 hash |



| Field | Value |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Produced At | Time when the response was signed |
| Response for each Certificate | Certificate Identifier: hashes of the issuer's DN and Public Key, and the Certificate's serial number Certificate Status: Good : for valid Certificates. Revoked : for revoked Certificates. The revocationReason field within the RevokedInfo of the CertStatus is present and is populated with the same values for a CRL issued by a Root CA described in Section 7.2.2 . Unknown : for Certificates not known to the Root CA. |

OCSP responses provided by an OCSP Responder from a Subordinate CA will include the following fields:

| Field | Value |
|------------------------|----------------------------------------------------------------------------|
| Signature Algorithm | sha256WithRSAEncryption or ecdsa-with-SHA256 |
| thisUpdate | Time at which the status indicated is known to the responder to be correct |
| nextUpdate | Time at which newer information will be available |
| Responder's Identifier | OCSP Responder's Public Key SHA1 hash |
| Produced At | Time when the response was signed |



| Field | Value |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Response for each Certificate | <p>Certificate Identifier: hashes of the issuer's DN and Public Key, and the Certificate's serial number</p> <p>Certificate Status:</p> <ul style="list-style-type: none">Good: for valid Certificates and pre-Certificates (with no assigned Certificate)Revoked: for revoked Certificates (or a Precertificate for which a Certificate was not created). When reason codes are used, the revocationReason field within the RevokedInfo of the CertStatus is present and is populated with the same values in Section 7.2.2.Unknown: for Certificates not known to the issuing CA |

7.3.2. OCSP Extensions

OCSP responses issued by Subordinate CAs or delegated responders will meet the following:

| OCSP Extension | Critical | Required/Optional |
|----------------|----------|----------------------------------|
| Nonce | No | Required (if present in request) |



8. COMPLIANCE AUDIT AND OTHER ASSESSMENTS

8.1. FREQUENCY OR CIRCUMSTANCES OF ASSESSMENT

An audit will be performed by an independent external auditor to assess the adequacy of the Apple Public CA's business practices disclosure and compliance with this CPS for all CAs technically capable of issuing publicly trusted Certificates. The audit is performed annually and executed in a way that prevents unaudited periods from one audit to the next starting from the CA Key Pair generation until the expiration or revocation of all Certificates associated to it.

For Root, Sub-CA, and TLS Certificates, the auditor will also assess controls to the then-current standards:

- CPA Canada Trust Service Principles and Criteria for Certification Authorities, and
- CPA Canada WebTrust Principles and Criteria for Certification Authorities – SSL Baseline with Network Security.

For S/MIME Certificates, the auditor will also assess controls to the current standard:

- CPA Canada Trust Service Principles and Criteria for Certification Authorities.

8.2. IDENTITY/QUALIFICATIONS OF ASSESSOR

The auditors performing the annual audit are from an independent audit firm that is approved to audit according to CPA Canada WebTrust for Certification Authorities Principles and Criteria.

The Apple Public CA ensures its WebTrust auditors meet the requirements of Section 8.2 of the Apple Public Root CP and Mozilla Root Store Policy Section 3.2.

8.3. ASSESSOR'S RELATIONSHIP TO ASSESSED ENTITY

The Apple Public CA will retain an independent external audit firm.

8.4. TOPICS COVERED BY ASSESSMENT

The audit will meet the requirements of the audit schemes identified in Section 8.1.

The Apple Public CA's compliance team ensures that the audit is conducted in accordance with the latest version of the schemes defined in Section 8.1.

8.5. ACTIONS TAKEN AS A RESULT OF DEFICIENCY

The Apple CA Policy Authority will determine the significance of identified deficiencies arising from external audits or internal self-assessments, and will prescribe remediation requirements. The Apple CA Policy Authority will be responsible for seeing that remediation efforts are completed in a timely manner.



8.6. COMMUNICATION OF RESULTS

The Apple Public CA works with its auditor to ensure audit reports conform with the content and format requirements in the Apple Public Root CP Section 8.6. Audit results are communicated to the Apple CA Policy Authority and to others as deemed appropriate based on agreements, regulations, and law. The Apple Public CA submits audit results to its Application Software Suppliers.

Copies of the latest audit reports can be found in the Apple Public CA's Repository as specified in [Section 2.1](#). The Apple Public CA publishes them no later than 3 months from the end of the audit period; otherwise, it works with the Root CA, Application Software Providers and the auditors to provide a satisfactory explanation.

8.7. SELF-AUDITS

On at least a quarterly basis, the Apple Public CA performs regular internal audits against at least three percent (3%) of TLS Certificates issued since the last internal audit.

Root Certificates

The Apple Public CA validates Root Certificates issued for compliance to profiles and naming structures as specified in [Section 7](#), and verifies adherence to key sizes and algorithms as specified in [Section 6](#).

Sub-CA Certificates

The Apple Public CA validates Sub-CA Certificates issued for compliance to profiles and naming structures as specified in [Section 7](#), and verifies adherence to key sizes and algorithms as specified in [Section 6](#).

TLS Certificates

The Apple Public CA automatically validates all TLS Certificates issued for compliance to profiles and naming structures as specified in [Section 7](#), and verifies adherence to key sizes and algorithms as specified in [Section 6](#).



9. OTHER BUSINESS AND LEGAL MATTERS

9.1. FEES

9.1.1. Certificate Issuance or Renewal Fees

The Apple Public CA reserves the right to charge Subscriber fees for Certificate issuances and renewals. The Apple Public CA may change its fees at any time in accordance with the applicable Subscriber agreement.

9.1.2. Certificate Access Fees

The Apple Public CA reserves the right to charge a fee for making a Certificate available or for access to its Certificate databases.

9.1.3. Revocation or Status Information Access Fees

The Apple Public CA does not charge a Certificate revocation fee or a fee for checking the validity status of an issued Certificate using a CRL. The Apple Public CA reserves the right to charge a fee for providing customized CRLs or other value-added revocation and status information services.

9.1.4. Fees for Other Services

The Apple Public CA does not charge a fee for access to this CPS or for simply viewing the document. Any additional use of this CPS including but not limited to reproduction, redistribution, modification, or creation of derivative works, may be subject to a license agreement with the entity holding the copyright to the document. The Apple Public CA reserves the right to charge for any other additional or future services not currently outlined in this CPS.

9.1.5. Refund Policy

No stipulation.

9.2. FINANCIAL RESPONSIBILITY

To the extent permitted by applicable law Apple disclaims any warranties, including any warranty of merchantability or fitness for a particular purpose. All relying parties must bear the risk of reliance on any Certificates issued by the Apple Public CA.

9.2.1. Insurance Coverage

Apple maintains general liability insurance coverage.

9.2.2. Other Assets

No stipulation.

9.2.3. Insurance or Warranty Coverage for End-Entities

No stipulation.



9.3. CONFIDENTIALITY OF BUSINESS INFORMATION

9.3.1. Scope of Confidential Information

The following information is considered Apple confidential and protected against disclosure using a reasonable degree of care and may not be disclosed:

- Private Keys and data used to access the CA system,
- Business and security plans including but not limited to business continuity, incident response, contingency, and disaster recovery plans,
- Security mechanisms used to protect the confidentiality, integrity, or availability of information,
- Information held by the Apple Public CA as personal or non-public information in accordance with Section 9.4, and
- Transaction records, audit logs, archival records, financial audit records, and external or internal audit trail records and any audit reports.

9.3.2. Information Not Within the Scope of Confidential Information

The following information shall not be considered confidential:

- Information included in Certificates,
- Root Certificates and Sub-CA Certificates,
- Information contained in this CPS, and
- Any Certificate status or Certificate revocation reason code.

9.3.3. Responsibility To Protect Confidential Information

Confidential information will not be released to any third parties unless required by law or requested by a court with jurisdiction over the Apple Public CA. Apple's employees, agents, and contractors are responsible for protecting confidential information and are contractually obligated to do so. Employees receive training on how to handle confidential information. The confidential information will be kept confidential even after the termination of this CPS.

9.4. PRIVACY OF PERSONAL INFORMATION

9.4.1. Privacy Plan

The Apple Public CA follows the Apple privacy policy which is available at <https://www.apple.com/legal/privacy>.

9.4.2. Information Treated as Private

See Section 9.4.1.



9.4.3. Information Not Deemed Private

Any information publicly available through a Certificate, CRL or their contents is not deemed private.

9.4.4. Responsibility To Protect Private Information

See Section 9.4.1.

9.4.5. Notice and Consent To Use Private Information

See Section 9.4.1.

9.4.6. Disclosure Pursuant to Judicial or Administrative Process

See Section 9.4.1.

9.4.7. Other Information Disclosure Circumstances

See Section 9.4.1.

9.5. INTELLECTUAL PROPERTY RIGHTS

Apple and/or its business partners own the intellectual property rights in Apple Public CA's services, including the Certificates, CRLs, trademarks used in providing the services, the policies and procedures supporting the operations of such services, the CA infrastructure, information provided via OCSP, and this CPS. Apple, iOS, and macOS are trademarks of Apple Inc., in the United States and other countries. Apple grants permission to reproduce and distribute Certificates on a nonexclusive and royalty-free basis, provided that they are reproduced and distributed in full. Private Keys and Public Keys remain the property of the Subscribers who rightfully hold them. All secret shares (distributed elements) of the Apple Private Keys are the property of Apple.

9.6. REPRESENTATIONS AND WARRANTIES

9.6.1. CA Representations and Warranties

Except as expressly stated in this CPS or in a separate agreement with a Subscriber, Apple does not make any representations regarding its products or services. To the extent permitted by applicable law Apple disclaims any warranties, including any warranty of merchantability or fitness for a particular purpose.

Subject to the terms and conditions of this CPS and any applicable agreement between the parties, Apple represents to Subscribers that they:

- Comply in all material aspects with this CPS, and all applicable laws and regulations,
- Have verified all Certificates issued by the Apple Public CA using the processes outlined in this CPS,
- Publish and update CRLs and OCSP responses on a regular basis,



- Meet the minimum requirements in the CAB Forum Baseline Requirements, and
- Maintain a Repository of public information on its website (See Section 2.1).

9.6.2. RA Representations and Warranties

Subject to the terms and conditions of this CPS and any applicable agreement between the parties, RAs represent that:

- The RA's Certificate issuance and management services conform to this CPS, and
- All Certificates requested by the RA meet the requirements of this CPS.

9.6.3. Subscriber Representations and Warranties

Subscribers are solely responsible for any information provided as part of a Certificate Application and for all transactions that use the Subscriber's Private Key, regardless of whether such use was authorized. Subscribers are required to notify the Apple Public CA if a change occurs that could affect the status of the Certificate, or if they believe that the Certificate information or Private Key have been compromised or are no longer valid or secure.

Apple's Subscriber Terms of Use includes the following Subscriber requirements and obligations:

- Securely generating its Private Keys and protecting its Private Keys from compromise,
- Providing accurate and complete information when communicating with the Apple Public CA,
- Confirming the accuracy of the Certificate data prior to using the Certificate,
- Promptly
 - Informing themselves of the reasons for revoking a Certificate as described in this CPS's Appendix C, and, acknowledging understanding of them,
 - requesting revocation of a Certificate, cease using it and its associated Private Key, and notify the Apple Public CA if there is any actual or suspected misuse or compromise of the Private Key associated with the Public Key included in the Certificate, and
 - requesting revocation of the Certificate, and ceasing using it, if any information in the Certificate is or becomes incorrect or inaccurate,
- Ensuring that individuals managing Certificates on behalf of an organization have received security training appropriate to the Certificate,



- Using the Certificate only for authorized and legal purposes, consistent with the Certificate purpose, this CPS, and the relevant Subscriber Terms of Use, and
- Promptly cease using the Certificate and related Private Key after the Certificate's expiration.

Subscriber Agreements may include additional representations and warranties.

9.6.4. Relying Party Representations and Warranties

Each Relying Party represents that, prior to relying on a Certificate issued by the Apple Public CA, it:

- Obtained sufficient knowledge on the use of Certificates and PKI,
- Studied the applicable limitations on the usage of Certificates and agrees to Apple's limitations on liability related to the use of Certificates,
- Has read, understands, and agrees to the Apple Relying Party Agreement and this CPS,
- Verified all Certificates in the certificate chain using the relevant CRL or OCSP,
- Will not use an expired or revoked Certificate, and
- Will take all reasonable steps to minimize the risk associated with relying on a digital signature, including only relying on a Certificate after considering:
 - applicable law and the legal requirements for identification of a party, protection of the confidentiality or privacy of information, and enforceability of the transaction,
 - the intended use of the Certificate as listed in the Certificate or this CPS,
 - the data listed in the Certificate,
 - the economic value of the transaction or communication,
 - the potential loss or damage that would be caused by an erroneous identification or a loss of confidentiality or privacy of information in the application, transaction, or communication,
 - the Relying Party's previous course of dealing with the Subscriber,
 - the Relying Party's understanding of trade, including experience with computer-based methods of trade, any other indicia of reliability or unreliability pertaining to the Subscriber and/or the application, communication, or transaction, and
 - any unauthorized reliance on a Certificate is at the party's own risk.



Relying Party Agreements may include additional representations and warranties.

9.6.5. Representations and Warranties of Other Participants

The parties agree that there are no third-party beneficiaries, other than those specifically identified herein under this CPS and any other applicable agreement or Terms of Use.

9.7. DISCLAIMERS OF WARRANTIES

EXCEPT AS EXPRESSLY STATED IN SECTION 9.6.1, ALL CERTIFICATES AND ANY RELATED SOFTWARE AND SERVICES ARE PROVIDED "AS IS" AND "AS AVAILABLE". TO THE MAXIMUM EXTENT PERMITTED BY LAW, APPLE DISCLAIMS ALL EXPRESS AND IMPLIED WARRANTIES, INCLUDING ALL WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT. APPLE DOES NOT WARRANT THAT ANY SERVICE OR PRODUCT WILL MEET ANY EXPECTATIONS OR THAT ACCESS TO CERTIFICATES WILL BE TIMELY OR ERROR-FREE. APPLE DOES NOT GUARANTEE THE AVAILABILITY OF ANY PRODUCTS OR SERVICES AND MAY MODIFY OR DISCONTINUE ANY PRODUCT OR SERVICE OFFERING AT ANY TIME.

9.8. LIMITATIONS OF LIABILITY

ANY ENTITY USING AN APPLE CERTIFICATE OR SERVICE WAIVES ALL LIABILITY OF APPLE RELATED TO SUCH USE, PROVIDED THAT THE APPLE PUBLIC CA HAS MATERIALLY COMPLIED WITH THIS CPS IN PROVIDING THE CERTIFICATE OR SERVICE. APPLE'S LIABILITY FOR CERTIFICATES AND SERVICES THAT DO NOT MATERIALLY COMPLY WITH THIS CPS IS LIMITED AS SET FORTH IN THE APPLE RELYING PARTY AGREEMENT. THEY FURTHER ACKNOWLEDGE THAT THE CERTIFICATES ARE NOT INTENDED OR SUITABLE FOR USE IN SITUATIONS OR ENVIRONMENTS WHERE THE FAILURE OR TIME DELAYS OF, OR ERRORS OR INACCURACIES IN THE CONTENT, DATA OR INFORMATION PROVIDED BY, THE CERTIFICATES AND SERVICES COULD LEAD TO DEATH, PERSONAL INJURY, OR SEVERE PHYSICAL OR ENVIRONMENTAL DAMAGE, INCLUDING WITHOUT LIMITATION THE OPERATION OF NUCLEAR FACILITIES, AIRCRAFT NAVIGATION OR COMMUNICATION SYSTEMS, AIR TRAFFIC CONTROL, LIFE SUPPORT OR WEAPONS SYSTEMS.

All liability is limited to actual and legally provable damages. Apple is not liable for:

- Any indirect, consequential, special, or punitive damages or any loss of profit, revenue, data, or opportunity, even if Apple is aware of the possibility of such damages,
- Liability related to fraud or willful misconduct of the Applicant,
- Liability related to use of a Certificate that exceeds the limitations on use, value, or transactions as stated either in the Certificate, this CPS or any applicable Subscriber or Relying Party agreement,
- Liability related to the security, usability, or integrity of products not supplied by Apple, including the Subscriber's and Relying Party's software or hardware, or



- Liability related to the compromise of a Subscriber's Private Key.

The limitations in this section apply to the maximum extent permitted by law and apply regardless of (i) the reason for or nature of the liability, including tort claims, (ii) the number of claims of liability, (iii) the extent or nature of the damages, (iv) whether Apple failed to follow any provision of this CPS, or (v) whether any provision of this CPS was proven ineffective.

The disclaimers and limitations on liabilities in this CPS are fundamental terms to the use of Certificates and services provided by the Apple Public CA.

To the extent the Apple Public CA has issued and managed the Certificate(s) at issue in compliance with this CPS, Apple shall have no liability to the Subscriber, any Relying Party, or any other third parties for any damages or losses suffered as a result of the use or reliance on such Certificate(s). To the extent permitted by applicable law, Subscriber Agreements and Relying Party Agreements shall limit Apple's and the applicable Affiliates' liability. Limitations of liability shall include an exclusion of indirect, special, incidental, and consequential damages.

The liability (and/or limitation thereof) of Subscribers shall be as set forth in the applicable Subscriber Agreements.

The liability (and/or limitation thereof) of Enterprise RAs and the Apple Public CA shall be set out in the agreement(s) between them.

The liability (and/or limitation thereof) of Relying Parties shall be as set forth in the applicable Relying Party Agreements.

9.9. INDEMNITIES

9.9.1. Indemnification by Apple

To the extent permitted by applicable law, Apple shall indemnify each Application Software Vendor against any claim, damage, or loss suffered by an Application Software Vendor related to a Certificate issued by the Apple Public CA, regardless of the cause of action or legal theory involved, except where the claim, damage, or loss suffered by the Application Software Vendor was directly caused by the Application Software Vendor's software displaying either (1) a valid and trustworthy Certificate as not valid or trustworthy or (2) displaying as trustworthy (i) a Certificate that has expired or (ii) a revoked Certificate where the revocation status is available online but the Application Software Vendor's software failed to check or ignored the status. Such Indemnification responsibilities shall be limited by the monetary limitation of liability amounts identified in the applicable agreements.

9.9.2. Indemnification by Subscribers

To the extent permitted by law, each Subscriber shall indemnify Apple, its partners, and any cross-signed entities, and their respective directors, officers, employees, agents, and contractors against any loss, damage, or expense, including reasonable



attorney's fees, related to (i) any misrepresentation or omission of material fact by Subscriber, regardless of whether the misrepresentation or omission was intentional or unintentional; (ii) Subscriber's breach of the Subscriber Agreement, this CPS, or applicable law; (iii) the compromise or unauthorized use of a Certificate or Private Key caused by the Subscriber's negligence or intentional acts; (iv) Subscriber's misuse of the Certificate or Private Key; or (v) failure to notify the Apple Public CA that the Private Key and its accompanying Certificate have been compromised or are no longer valid.

The applicable Subscriber Agreement may include additional indemnity obligations.

9.9.3. Indemnification by Relying Parties

To the extent permitted by law, each Relying Party shall indemnify Apple, its partners, and any cross-signed entities, and their respective directors, officers, employees, agents, and contractors against any loss, damage, or expense, including reasonable attorney's fees, related to (i) any misrepresentation or omission of material fact by Relying Party , regardless of whether the misrepresentation or omission was intentional or unintentional; (ii)Relying Party's breach of the Relying Party Agreement, this CPS, or applicable law; (iii) the compromise or unauthorized use of a Certificate or Private Key caused by the Relying Party's negligence or intentional acts; (iv)Relying Party's misuse of the Certificate or Private Key, or (v) failure to notify the Apple Public CA that the Private Key and its accompanying Certificate have been compromised or are no longer valid.

The applicable Relying Party Agreement may include additional indemnity obligations.

9.10. TERM AND TERMINATION

9.10.1. Term

The CPS and/or Relying Party Agreement, and any amendments thereto, become effective upon publication to the Repository (See Section 2.1). The CPS and relevant agreements will continue until either an updated version is published to the Repository, (see Section 2.1), or they are terminated in accordance with the CPS or the termination provisions of the applicable agreement.

9.10.2. Termination

This CPS is amended from time to time, and shall remain in effect until replaced by a newer version.

9.10.3. Effect of Termination and Survival

Upon termination of this CPS, Subscriber Agreement and/or Relying Party Agreement, Subscribers and Relying Parties are nevertheless bound by their terms for all Certificates issued for the remainder of the validity periods of such Certificates, until replaced by newer versions of those documents.



9.11. INDIVIDUAL NOTICES AND COMMUNICATIONS WITH PARTICIPANTS

The notice provisions for this CPS are outlined in [Section 2.2](#). Notices are deemed effective only after acknowledgment of receipt from Apple. Apple may provide notice and provide updates to this CPS, Subscriber Agreement and/or Relying Party Agreement by making them publicly available in the Repository, see [Section 2.1](#). Notices and updates to this CPS by Apple are deemed effective upon public availability in the Repository.

Notices to Application Software Vendors are sent out in accordance with the respective requirements.

9.12. AMENDMENTS

9.12.1. Procedure for Amendment

This CPS is reviewed as frequently as necessary, but at least once a year. This CPS, Subscriber Agreement, and/or Relying Party Agreement may be amended at any time without prior notice. The latest CPS is made publicly available in the Repository (See [Section 2.1](#)). Updates supersede any designated or conflicting provisions of the referenced version of the CPS. Controls are in place to reasonably ensure that this CPS is not amended and published without the prior authorization of the Apple CA Policy Authority.

9.12.2. Notification Mechanism and Period

Apple Public CA posts CPS revisions to its Repository (See [Section 2.1](#)). The Apple Public CA may make changes to this CPS without notice.

9.12.3. Circumstances Under Which OID Must Be Changed

The Apple CA Policy Authority is solely responsible for determining whether an amendment to the CPS requires an OID change.

9.13. DISPUTE RESOLUTION PROVISIONS

Any litigation or other dispute resolution related to the use of the Certificates in this CPS will take place in the Northern District of California, and Relying Parties consent to the personal jurisdiction of and exclusive venue in the state and federal courts within that District with respect to any such litigation or dispute resolution.

Parties are required to notify the Apple Public CA and attempt to resolve disputes directly with the Apple Public CA before resorting to any dispute resolution mechanism, including adjudication or any type of alternative dispute resolution.

9.14. GOVERNING LAW

Under this CPS, the rights and obligations of the parties shall be governed by and construed and enforced under the laws of the State of Delaware, without regard to its choice of law principles, except that the arbitration clause below, and any arbitration



hereunder, shall be governed by the United States Federal Arbitration Act, Chapters 1 and 2. The Convention on Contracts for the International Sale of Goods shall not apply to this CPS.

9.15. COMPLIANCE WITH APPLICABLE LAW

This CPS is subject to all applicable laws and regulations.

9.16. MISCELLANEOUS PROVISIONS

9.16.1. Entire Agreement

This CPS, the Terms of Use and the applicable agreement represents the entire agreement, and contractually obligates each Subscriber, Relying Party and RA to comply with this CPS and applicable industry guidelines. The Apple Public CA also requires each party using its products and services to enter into an agreement that delineates the terms associated with the product or service. Third parties may not rely on or bring action to enforce such agreement.

9.16.2. Assignment

Entities operating under this CPS may not assign their rights or obligations without the prior written consent of Apple. Any assignment made in violation of this section shall be voided upon Apple's request.

9.16.3. Severability

If a provision of this CPS is held invalid or unenforceable by a competent court or tribunal, the remainder of the CPS will remain valid and enforceable.

9.16.4. Enforcement (Attorneys' Fees and Waiver of Rights)

Apple may seek indemnification and attorneys' fees from a party for damages, losses, and expenses related to that party's conduct. Apple's failure to enforce a provision of this CPS does not waive Apple's right to enforce the same provision later or right to enforce any other provision of this CPS. To be effective, waivers must be in writing and signed by Apple.

9.16.1. Force Majeure

Apple is not liable for a delay or failure to perform an obligation under this CPS to the extent that the delay or failure is caused by an occurrence beyond Apple's reasonable control. The operation of the Internet is beyond Apple's reasonable control.

9.17. OTHER PROVISIONS

No stipulation.



Appendix A: Apple Root and Subordinate CAs Hierarchy

This table lists all valid Root Certificate and Sub-CA Certificates issued by the Apple Public CA. The list is organized alphabetically using the Root Certificate Common Name first and then Sub-CA Certificate Common Name.

| Root Certificate Common Name | Sub-CA Certificate Common Name | Certificate Serial Number | Type of Subscriber Certificates Issued |
|----------------------------------|----------------------------------|-------------------------------------------------|----------------------------------------|
| Apple Public Email ECC Root CA 1 | N.A. This is a Root CA. | 77:3C:5E:3F:B7:F6:9B:83:9A:F9:FA:3D:DA:98:C1:27 | Sub-CA Certificates for SMIME |
| Apple Public Email RSA Root CA 1 | N.A. This is a Root CA. | 30:1D:C3:12:31:84:00:48:2C:40:18:C3:40:3B:A0:06 | Sub-CA Certificates for TLS |
| Apple Public TLS ECC Root CA 1 | N.A. This is a Root CA. | 4F:EE:9B:14:C1:59:DA:15:BB:9E:F0:D6:D1:72:9C:DF | Sub-CA Certificates for TLS |
| Apple Public TLS RSA Root CA 1 | N.A. This is a Root CA. | 23:ED:5C:70:CD:8E:EA:F6:36:6C:BF:C5:F6:63:0B:AA | Sub-CA Certificates for SMIME |
| Apple Public Email ECC Root CA 1 | Apple Public Email ECC CA 1 - G1 | 52:D6:53:71:84:53:65:95:FF:7B:70:BF:8A:B6:0F:71 | S/MIME Certificates |
| Apple Public Email RSA Root CA 1 | Apple Public Email RSA CA 1 - G1 | 19:9C:EA:8C:B9:3D:3C:62:9A:27:6A:E7:EC:BB:8E:17 | TLS Certificates |
| Apple Public TLS ECC Root CA 1 | Apple Public TLS ECC CA 1 - G1 | 63:C9:4D:74:A4:AB:93:80:22:8D:30:27:41:5E:06:66 | TLS Certificates |
| Apple Public TLS RSA Root CA 1 | Apple Public TLS RSA CA 1 - G1 | 2A:BF:99:F3:ED:8E:06:0C:19:4E:9A:77:F1:12:B9:E2 | S/MIME Certificates |



Appendix B: Verification Sources

Sources List

Ordered alphabetically by Jurisdiction

| Jurisdiction | Agency Information |
|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| StateOrProvinceName For: California CountryName: For: United States | Name: California Secretary of State Website: https://bizfileonline.sos.ca.gov/search/business Registration Number Format: (Entity Number) For corporations: The letter C followed by an entity number that is at least a 7-digit number. For example: C1234567 For a limited liability company or limited partnership: A 12-digit entity number. For example: 123456789012 |
| StateOrProvinceName For: Delaware CountryName: For: United States | Name: State of Delaware, Department of State: Division of Corporations Website: https://icis.corp.delaware.gov/Ecorp/EntitySearch/NameSearch.aspx Registration Number Format: (State File Number) A 7-digit number. For example: 1234567 |

Revision History

| Date | Detail |
|------------------|---------------------------------------------------------------------|
| October 1, 2022 | Updated agency search website for the California Secretary of State |
| December 9, 2021 | Initial list including California and Delaware jurisdictions. |



Appendix C - Revocation Reason Code Selection

This section applies to revocations that are performed after October 1, 2022. Revocation entries that appeared on a CRL prior to October 1, 2022, do not need to be changed.

The Apple Public CA supports the following revocation reason codes for Subscriber Certificates:

- superseded
- cessationOfOperation
- affiliationChanged
- keyCompromise
- privilegeWithdrawn
- Unspecified

Reason Code Selection for Subscribers Requesting Revocation

Subscribers have access to the revocation reasons below through the revocation tools that the Apple Public CA provides. The Subscriber Representative requesting revocation must understand the revocation reason code and select the one that best matches the situation.

| Reason Code | Situations to Select Reason |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| superseded | A new Certificate for an endpoint/website/email address/organization is requested and the prior one will no longer be used |
| cessationOfOperation | The endpoint/website/email address with the Certificate is shut down/discontinued prior to the expiration of the Certificate, or the Subscriber no longer owns, is authorized to use, controls one or more of the Domain Name(s), or email address in the Certificate. |
| affiliationChanged | Not provided for selection by Subscriber Representatives. |
| keyCompromise | The Subscriber has lost control of, misplaced, or is aware of or suspects that unauthorized copies of the Private Key associated to the Public Key in the Certificate exist. |
| privilegeWithdrawn | Not provided for selection by Subscriber Representatives. |
| unspecified | Selecting this reason results in no reasonCode CRL entry extension being provided in the CRL. |

Reason Code Selection for Apple Public CA

Unless the keyCompromise reason code is being used, Apple Public CA will select reason codes below based on the situation that best matches the situation.



| Reason Code | Situations to Select Reason |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| superseded | <p>The Subscriber has requested that their Certificate be revoked for this reason, or</p> <p>The Apple Public CA:</p> <ul style="list-style-type: none">obtains reasonable evidence that the validation of domain authorization or control for any FQDN, IP address, or <u>email address</u> in the Certificate should not be relied upon, orbecomes aware of compliance reasons such as the Certificate does not comply with an Application Software Supplier's policy, the CA/Browser Forum's Baseline Requirements, or this CPS. |
| cessationOfOperation | <p>The Subscriber has requested that their Certificate be revoked for this reason, or</p> <p>The Apple Public CA is made aware of:</p> <ul style="list-style-type: none">any circumstance indicating that use of a FQDN, IP address, or email address in the Certificate is no longer legally permitted (e.g. a court or arbitrator has revoked a Domain Name Registrant's right to use the Domain Name, a relevant licensing or services agreement between the Domain Name Registrant and the applicant has terminated, or the Domain Name Registrant has failed to renew the Domain Name),the endpoint/website/email address with the Certificate is shut down prior to the expiration of the Certificate, orthe Subscriber no longer owns, is authorized to use, or controls one or more of the Domain Name(s) in the Certificate. |
| affiliationChanged | <p>The Apple Public CA has replaced the Certificate due to changes in the Certificate's subject information (For example the name of the organization or jurisdiction has changed) and has not replaced the Certificate for the other reasons: keyCompromise, superseded, cessationOfOperation, or privilegeWithdrawn.</p> |
| keyCompromise | <p>The Subscriber has requested that their certificate be revoked for this reason; or</p> <p>The Apple Public CA:</p> <ul style="list-style-type: none">obtains verifiable evidence that the Subscriber's Private Key corresponding to the Public Key in the Certificate suffered a key compromise (See <u>Section 4.9.12</u>);is made aware of a demonstrated or proven method that exposes the Private Key to compromise;is made aware of clear evidence that the specific method used to generate the Private Key was flawed;is made aware of a demonstrated or proven method that can easily compute the Private Key based on the Public Key in the Certificate (such as a Debian weak key, see https://wiki.debian.org/TLSkeys) |



| Reason Code | Situations to Select Reason |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| priviledgedWithdrawn | <p>The Apple Public CA:</p> <ul style="list-style-type: none">• obtains evidence that the Certificate was misused,• is made aware that the Subscriber has violated one or more of its material obligations under the subscriber agreement or terms of use,• is made aware that a Wildcard Certificate has been used to authenticate a fraudulently misleading subordinate FQDN,• is made aware of a material change in the information contained in the Certificate,• determines or is made aware that any of the information appearing in the Certificate is inaccurate, or• is made aware that the original Certificate Application was not authorized and that the Subscriber does not retroactively grant authorization. |
| Unspecified | Selecting this reason results in no reasonCode CRL entry extension being provided in the CRL. |